

Government of India
Directorate General of Health Services
Central Drugs Standard Control Organisation
Ministry of Health and Family welfare

FREE SALE CERTIFICATE

FSC Number : FSC/MD/2023/000066

Dated : 20/02/2023

This is to certify that M/s. Orthrex Life Care situated at address Plot No. I/1, Sayan Textile Park, Hajira Road, Ichchhapor, Surat Gujarat, 394510, 9825271133, India is holding Manufacturing License no. MFG/MD/2023/000047 issued on 18-JAN-2023 Under this license, the said firm is permitted to manufacture the products for their manufacture and sale in domestic market as per Indian Law and for export as per law of importing country (ies):-

Name of the products with their product name and dimensions if any mentioned below :

S.NO	Medical Device Details
------	------------------------

1	1. Generic Name :Bone Screw (SS) 2. Brand Name :Orthrex/OYDIS 3. Notified Category :Orthopaedic Implants 4. Class of Medical Device :Class C 5. Shelf life :NIL 6. Sterile/Non-Sterile:Non-Sterilized 7. Intended Use :Bone Screws are used during the surgery of fractured bones. These serve as a support for internal fixation of bones. These screws are used alone or along with bone plates or interlocking Nails. 8. Material of Construction: Stainless Steel 316L 9. Dimension: Various length and diameter of bone screws are available 10. Model/Catalogue No./Name :LOCKING SCREW 3.8MM - 8/10/12/14/16/18/20/22/24/26/28/30/32/34/36/38/40/42/44/46/48/50MM , LOCKING SCREW 4.8MM - 14/16/18/20/22/24/26/28/30/32/34/36/38/40/42/44/46/48/50/52/54/56/58/60 /62/64/66/68/70/75/80/85/90/100MM ,LOCKING CANCELLOUS SCREW 6.5MM (16MM THREAD) - 25/30/35/40/45/50/55/60/65/70/75/80/85/90/95/100MM ,LOCKING CANCELLOUS SCREW 6.5MM (32MM THREAD) - 25/30/35/40/45/50/55/60/65/70/75/80/85/90/95/100MM ,LOCKING CANCELLOUS SCREW 6.5MM (FULL THREAD) - 25/30/35/40/45/50/55/60/65/70/75/80/85/90/95/100MM ,LOCKING CANCELLOUS SCREW 4.0MM (FULL THREAD) - 14/16/18/20/22/24/26/28/30/35/40/45/50/55/60/65/70/75/80MM ,LOCKING SCREW 3.0MM - 10/12/14/16/18/20/22/24/26/28/30/32/34/36/38/40MM ,LOCKING SCREW 2.4MM - 8/10/12/14/16/18/20/22/24/26/28/30MM ,LOCKING CANCELLOUS SCREW 5MM (16MM THREAD) - 25/30/35/40/45/50/55/60/65/70/75/80/85/90/95/100MM ,LOCKING CANCELLOUS SCREW 5MM (32MM THREAD) - 25/30/35/40/45/50/55/60/65/70/75/80/85/90/95/100MM ,LOCKING CANCELLOUS SCREW 5MM (FULL THREAD) - 25/30/35/40/45/50/55/60/65/70/75/80/85/90/95/100MM ,CORTICAL SCREW HEX Dia. 2.7MM - 8/10/12/14/16/18/20/22/24/26/28/30MM ,CORTICAL SCREW HEX (Non Self Tapping) Dia. 3.5MM (14tpi) - 8/10/12/14/16/18/20/22/24/26/28/30/32/34/36/38/40/42/44/46/48/50/52/54/56/58/60MM ,CORTICAL SCREW HEX (Self Tapping) Dia. 3.5MM (14tpi) - 8/10/12/14/16/18/20/22/24/26/28/30/32/34/36/38/40/42/44/46/48/50MM , CORTICAL SCREW HEX (Non Self Tapping) Dia. 3.5MM (20tpi) - 8/10/12/14/16/18/20/22/24/26/28/30/32/34/36/38/40/42/44/46/48/50/52/54/56/58/60MM ,CORTICAL SCREW HEX (Self Tapping) Dia. 3.5MM (20tpi) - 8/10/12/14/16/18/20/22/24/26/28/30/32/34/36/38/40/42/44/46/48/50/52/54/56/58/60/62/64/66/68/70MM ,CORTICAL SCREW HEX (Non Self Tapping) Dia. 4.5MM (14tpi) - 10/12/14/16/18/20/22/24/26/28/30/32/34/36/38/40/42/44/46/48/50/52/54/56/58/60/62/64/66/68/70MM ,CORTICAL SCREW HEX (Self Tapping) Dia. 4.5MM (14tpi) - 10/12/14/16/18/20/22/24/26/28/30/32/34/36/38/40/42/44/46/48/50/52/54/56/58/60/62/64/66/68/70MM ,CANCELLOUS SCREW HEX Dia. 4.0MM (16MM Thread) - 12/14/16/18/20/22/24/26/28/30/35/40/45/50/55/60/65/70MM ,CANCELLOUS SCREW HEX Dia. 4.0MM (Full Thread) - 12/14/16/18/20/22/24/26/28/30/35/40/45/50/55/60/65/70MM ,CANCELLOUS SCREW HEX Dia. 6.5MM (16MM Thread) - 20/25/30/35/40/45/50/55/60/65/70/75/80/85/90/95/100/105/110/115/120MM , CANCELLOUS SCREW HEX Dia. 6.5MM (32MM Thread) - 20/25/30/35/40/45/50/55/60/65/70/75/80/85/90/95/100/105/110/115/120MM ,
---	--

CANCELLOUS SCREW HEX Dia. 6.5MM (Full Thread) -
 20/25/30/35/40/45/50/55/60/65/70/75/80/85/90/95/100/105/110/115/120MM ,
 CANNULATED CANCELLOUS SCREW HEX Dia. 4.0MM & 4.5MM (16MM Thread) -
 10/12/14/16/18/20/22/24/26/28/30/35/40/45/50/55/60/65/70/75/80MM ,
 CANNULATED CANCELLOUS SCREW HEX Dia. 4.0MM & 4.5MM (Full Thread) -
 20/22/24/26/28/30/35/40/45/50/55/60/65/70MM ,CANNULATED CANCELLOUS
 SCREW HEX Dia. 6.5MM (16MM Thread) -
 20/25/30/35/40/45/50/55/60/65/70/75/80/85/90/95/100/105/110/115/120MM ,
 CANNULATED CANCELLOUS SCREW HEX Dia. 6.5MM (32MM Thread) -
 30/35/40/45/50/55/60/65/70/75/80/85/90/95/100/105/110/115/120MM ,
 CANNULATED CANCELLOUS SCREW HEX Dia. 6.5MM (Full Thread) -
 35/40/45/50/55/60/65/70/75/80/85/90/95/100MM ,WASHER FOR CANNULATED &
 CANCELLOUS SCREW Dia. 4.0MM & 6.5MM - 4.0 SMALL ,WASHER FOR CANNULATED &
 CANCELLOUS SCREW Dia. 4.0MM & 6.5MM - 4.0 BIG ,WASHER FOR CANNULATED &
 CANCELLOUS SCREW Dia. 4.0MM & 6.5MM - 6.5 ,MALLEOLAR SCREW HEX Dia. 4.5MM -
 25/30/35/40/45/50/55/60/65/70/75/80/85/90/95/100MM ,D.H.S. LEG SCREW -
 50/55/60/65/70/75/80/85/90/95/100/105/110/115/120MM ,SCHANZ SCREW 1.5MM -
 50/100/150/200/250/300/350/400MM ,SCHANZ SCREW 2.0MM -
 50/100/150/200/250/300/350/400MM ,SCHANZ SCREW 2.5MM -
 50/100/150/200/250/300/350/400MM ,SCHANZ SCREW 3.0MM -
 50/100/150/200/250/300/350/400MM ,SCHANZ SCREW 3.5MM -
 50/100/150/200/250/300/350/400MM ,SCHANZ SCREW 4.0MM -
 50/100/150/200/250/300/350/400MM ,SCHANZ SCREW 4.5MM -
 50/100/150/200/250/300/350/400MM ,SCHANZ SCREW 5.0MM -
 50/100/150/200/250/300/350/400MM ,SCHANZ SCREW (CANCELLOUS THREAD 6.5
 MM) Dia. 4.5 X 6.5MM - 150/175/200/225MM ,SCHANZ SCREW (SELF DRILLING) Dia. 3.5
 MM - 150/175/200/225MM ,SCHANZ SCREW (SELF DRILLING) Dia. 4.0MM -
 150/175/200/225MM ,SCHANZ SCREW (SELF DRILLING) Dia. 4.5MM -
 150/175/200/225MM ,SCHANZ SCREW (SELF DRILLING) Dia. 5.0MM -
 150/175/200/225MM ,TAPPER THREAD SCHANZ SCREW Dia 4.5MM -
 150/175/200/225/250MM ,TAPPER THREAD SCHANZ SCREW Dia 5.0MM -
 150/175/200/225/250MM ,TAPPER THREAD SCHANZ SCREW Dia 5.5MM -
 150/175/200/225/250MM ,TAPPER THREAD SCHANZ SCREW Dia 6.0MM -
 150/175/200/225MM ,HIP TRACTION SCREW Dia 4.5MM - 150/175/200/225/250MM ,
 HIP TRACTION SCREW Dia 5.0MM - 150/175/200/225/250MM ,HIP TRACTION SCREW
 Dia 5.5MM - 150/175/200/225/250MM ,HIP TRACTION SCREW Dia 6.0MM -
 150/175/200/225/250MM ,MINI SCREW 1.5MM (SLOTTED HEAD) -
 4/5/6/7/8/9/10/11/12MM ,MINI SCREW 2.0MM (SLOTTED HEAD) -
 4/5/6/7/8/9/10/11/12/13/14/15/16MM ,MINI SCREW 2.5MM (SLOTTED HEAD) -
 4/5/6/7/8/9/10/11/12/13/14/15/16MM ,MINI SCREW 2.7MM (SLOTTED HEAD) -
 6/8/10/12/14/16/18/20/22/24/26/28/30MM ,INTERMAXILLARY FIXATION SCREW (I.M.
 F.) WITH HOLE/ WITH GROVE 2.0MM - 6/7/8/9/10/11/12/13/14/15/16MM ,
 INTERMAXILLARY FIXATION SCREW (I.M.F.) WITH HOLE/ WITH GROVE 2.5MM -
 6/7/8/9/10/11/12/13/14/15/16MM ,LEG SCREW 2.0MM - 8/10/12/14/16/20MM ,LEG
 SCREW 2.5MM - 8/10/12/14/16/20MM ,EMERGENCY SCREW 1.8MM/2.3MM/2.7MM -
 6/7/8/9/10/11/12MM ,MINI SCREW 1.5MM (CROSS SLOTTED) - 4/5/6/7/8/9/10/11/12MM
 ,MINI SCREW 2.0MM (CROSS SLOTTED) - 4/5/6/7/8/9/10/11/12/13/14/15/16MM ,MINI
 SCREW 2.5MM (CROSS SLOTTED) - 4/5/6/7/8/9/10/11/12/13/14/15/16MM ,EMERGENCY
 SCREW 1.8MM. 2.3mm/2.7mm (CROSS SLOTTED) - 6/7/8/9/10/11/12MM ,INTERLOCKING
 BOLT 3.0MM - 14/16/18/20/22/24/26/28/30/32/34/36/38/40MM ,INTERLOCKING
 BOLT 3.5MM - 14/16/18/20/22/24/26/28/30/32/34/36/38/40MM ,INTERLOCKING
 BOLT 3.9MM -

	14/16/18/20/22/24/26/28/30/32/34/36/38/40/42/44/46/48/50/52/54/56/58/60 MM ,INTERLOCKING BOLT 4.9MM - 22/24/26/28/30/32/34/36/38/40/42/44/46/48/50/52/54/56/58/60/62/64/66/6 8/70/75/80/85/90/95/100MM ,INTERLOCKING BOLT 8.0MM - 40/45/50/55/60/65/70/75/80/85/90/95/100/105/110/115/120MM ,INTERLOCKING BOLT 6.4MM - 40/45/50/55/60/65/70/75/80/85/90/95/100/105/110/115/120MM ,P. F.N.A BLADE 12MM - 75/80/85/90/95/100/105/110/115/120/125/130MM
--	--



2	1. Generic Name :Bone Screw (Titanium) 2. Brand Name :Orthrex/OYDIS 3. Notified Category :Orthopaedic Implants 4. Class of Medical Device :Class C 5. Shelf life :NIL 6. Sterile/Non-Sterile:Non-Sterilized 7. Intended Use :Bone Screws are used during the surgery of fractured bones. These serve as a support for internal fixation of bones. These screws are used alone or along with bone plates or interlocking Nails. 8. Material of Construction: Titanium 9. Dimension: Various length and diameter of bone screws are available 10. Model/Catalogue No./Name :LOCKING SCREW 3.8MM - 8/10/12/14/16/18/20/22/24/26/28/30/32/34/36/38/40/42/44/46/48/50MM , LOCKING SCREW 4.8MM - 14/16/18/20/22/24/26/28/30/32/34/36/38/40/42/44/46/48/50/52/54/56/58/60/62/64/66/68/70/75/80/85/90/95/100MM ,LOCKING CANCELLOUS SCREW 6.5MM (16MM THREAD) - 25/30/35/40/45/50/55/60/65/70/75/80/85/90/95/100/MM , LOCKING CANCELLOUS SCREW 6.5MM (32MM THREAD) - 25/30/35/40/45/50/55/60/65/70/75/80/85/90/95/100MM ,LOCKING CANCELLOUS SCREW 6.5MM (FULL THREAD) - 25/30/35/40/45/50/55/60/65/70/75/80/85/90/95/100MM ,LOCKING CANCELLOUS SCREW 4.0MM (FULL THREAD) - 14/16/18/20/22/24/26/28/30/35/40/45/50/55/60/65/70/75/80MM ,LOCKING SCREW 3.0MM - 10/12/14/16/18/20/22/24/26/28/30/32/34/36/38/40MM ,LOCKING SCREW 2.4MM - 8/10/12/14/16/18/20/22/24/26/28/30MM ,LOCKING CANCELLOUS SCREW 5MM (16MM THREAD) - 25/30/35/40/45/50/55/60/65/70/75/80/85/90/95/100MM ,LOCKING CANCELLOUS SCREW 5MM (32MM THREAD) - 25/30/35/40/45/50/55/60/65/70/75/80/85/90/95/100MM ,LOCKING CANCELLOUS SCREW 5MM (FULL THREAD) - 25/30/35/40/45/50/55/60/65/70/75/80/85/90/95/100MM ,CORTICAL SCREW HEX Dia. 2.7MM - 8/10/12/14/16/18/20/22/24/26/28/30MM ,CORTICAL SCREW HEX (Non Self Tapping) Dia. 3.5MM (14tpi) - 8/10/12/14/16/18/20/22/24/26/28/30/32/34/36/38/40/42/44/46/48/50/52/54/56/58/60MM ,CORTICAL SCREW HEX (Self Tapping) Dia. 3.5MM (14tpi) - 8/10/12/14/16/18/20/22/24/26/28/30/32/34/36/38/40/42/44/46/48/50MM , CORTICAL SCREW HEX (Non Self Tapping) Dia. 3.5MM (20tpi) - 8/10/12/14/16/18/20/22/24/26/28/30/32/34/36/38/40/42/44/46/48/50/52/54/56/58/60MM ,CORTICAL SCREW HEX (Self Tapping) Dia. 3.5MM (20tpi) - 8/10/12/14/16/18/20/22/24/26/28/30/32/34/36/38/40/42/44/46/48/50/52/54/56/58/60/62/64/66/68/70MM ,CORTICAL SCREW HEX (Non Self Tapping) Dia. 4.5MM (14tpi) - 10/12/14/16/18/20/22/24/26/28/30/32/34/36/38/40/42/44/46/48/50/52/54/56/58/60/62/64/66/68/70MM ,CORTICAL SCREW HEX (Self Tapping) Dia. 4.5MM (14tpi) - 10/12/14/16/18/20/22/24/26/28/30/32/34/36/38/40/42/44/46/48/50/52/54/56/58/60/62/64/66/68/70MM ,CANCELLOUS SCREW HEX Dia. 4.0MM (16MM Thread) - 12/14/16/18/20/22/24/26/28/30/35/40/45/50/55/60/65/70MM ,CANCELLOUS SCREW HEX Dia. 4.0MM (Full Thread) - 12/14/16/18/20/22/24/26/28/30/35/40/45/50/55/60/65/70MM ,CANCELLOUS SCREW HEX Dia. 6.5MM (16MM Thread) - 20/25/30/35/40/45/50/55/60/65/70/75/80/85/90/95/100/105/110/115/120MM , CANCELLOUS SCREW HEX Dia. 6.5MM (32MM Thread) - 20/25/30/35/40/45/50/55/60/65/70/75/80/85/90/95/100/105/110/115/120MM ,
---	--

	CANCELLOUS SCREW HEX Dia. 6.5MM (Full Thread) - 20/25/30/35/40/45/50/55/60/65/70/75/80/85/90/95/100/105/110/115/120MM , CANNULATED CANCELLOUS SCREW HEX Dia. 4.0MM & 4.5MM (16MM Thread) - 10/12/14/16/18/20/22/24/26/28/30/35/40/45/50/55/60/65/70/75/80MM , CANNULATED CANCELLOUS SCREW HEX Dia. 4.0MM & 4.5MM (Full Thread) - 20/22/24/26/28/30/35/40/45/50/55/60/65/70MM ,CANNULATED CANCELLOUS SCREW HEX Dia. 6.5MM (16MM Thread) - 20/25/30/35/40/45/50/55/60/65/70/75/80/85/90/95/100/105/110/115/120MM , CANNULATED CANCELLOUS SCREW HEX Dia. 6.5MM (32MM Thread) - 30/35/40/45/50/55/60/65/70/75/80/85/90/95/100/105/110/115/120MM , CANNULATED CANCELLOUS SCREW HEX Dia. 6.5MM (Full Thread) - 35/40/45/50/55/60/65/70/75/80/85/90/95/100MM ,WASHER FOR CANNULATED & CANCELLOUS SCREW Dia. 4.0MM & 6.5MM - 4.0 SMALL ,WASHER FOR CANNULATED & CANCELLOUS SCREW Dia. 4.0MM & 6.5MM - 4.0 BIG ,WASHER FOR CANNULATED & CANCELLOUS SCREW Dia. 4.0MM & 6.5MM - 6.5 ,MALLEOLAR SCREW HEX Dia. 4.5MM - 25/30/35/40/45/50/55/60/65/70/75/80/85/90/95/100MM ,D.H.S. LEG SCREW - 50/55/60/65/70/75/80/85/90/95/100/105/110/115/120MM ,MINI SCREW 1.5MM (SLOTTED HEAD) - 4/5/6/7/8/9/10/11/12MM ,MINI SCREW 2.0MM (SLOTTED HEAD) - 4/5/6/7/8/9/10/11/12/13/14/15/16MM ,MINI SCREW 2.5MM (SLOTTED HEAD) - 4/5/6/7/8/9/10/11/12/13/14/15/16MM ,MINI SCREW 2.7MM (SLOTTED HEAD) - 6/8/10/12/14/16/18/20/22/24/26/28/30MM ,INTERMAXILLARY FIXATION SCREW (I.M.F.) WITH HOLE/ WITH GROVE 2.0MM - 6/7/8/9/10/11/12/13/14/15/16MM , INTERMAXILLARY FIXATION SCREW (I.M.F.) WITH HOLE/ WITH GROVE 2.5MM - 6/7/8/9/10/11/12/13/14/15/16MM ,LEG SCREW 2.0MM - 8/10/12/14/16/20MM ,LEG SCREW 2.5MM - 8/10/12/14/16/20MM ,EMERGENCY SCREW 1.8MM/2.3MM/2.7MM - 6/7/8/9/10/11/12MM ,MINI SCREW 1.5MM (CROSS SLOTTED) - 4/5/6/7/8/9/10/11/12MM ,MINI SCREW 2.0MM (CROSS SLOTTED) - 4/5/6/7/8/9/10/11/12/13/14/15/16MM ,MINI SCREW 2.5MM (CROSS SLOTTED) - 4/5/6/7/8/9/10/11/12/13/14/15/16MM ,EMERGENCY SCREW 1.8MM. 2.3mm/2.7mm (CROSS SLOTTED) - 6/7/8/9/10/11/12MM ,INTERLOCKING BOLT 3.0MM - 14/16/18/20/22/24/26/28/30/32/34/36/38/40MM ,INTERLOCKING BOLT 3.5MM - 14/16/18/20/22/24/26/28/30/32/34/36/38/40MM ,INTERLOCKING BOLT 3.9MM - 14/16/18/20/22/24/26/28/30/32/34/36/38/40/42/44/46/48/50/52/54/56/58/60 MM ,INTERLOCKING BOLT 4.9MM - 22/24/26/28/30/32/34/36/38/40/42/44/46/48/50/52/54/56/58/60/62/64/66/68/70/75/80/85/90/95/100MM ,INTERLOCKING BOLT 8.0MM - 40/45/50/55/60/65/70/75/80/85/90/95/100/105/110/115/120MM ,INTERLOCKING BOLT 6.4MM - 40/45/50/55/60/65/70/75/80/85/90/95/100/105/110/115/120MM ,P. F.N.A BLADE 12MM - 75/80/85/90/95/100/105/110/115/120/125/130MM
--	--

3	1. Generic Name :Bone Plate (SS) 2. Brand Name :Orthrex/OYDIS 3. Notified Category :Orthopaedic Implants 4. Class of Medical Device :Class C 5. Shelf life :NIL 6. Sterile/Non-Sterile:Non-Sterilized 7. Intended Use :Bone plates are indicated for use in bone reconstruction, osteotomy, arthrodesis, joint fusion, fracture repair, and fracture fixation, appropriate for the size of the device. 8. Material of Construction: Stainless Steel 316L 9. Dimension: Various length and diameter of bone plates are available 10. Model/Catalogue No./Name :CLAVICLE LOCKING COMPRESSION PLATE (LEFT & RIGHT) - 4/5/6/7/8/9/10/11/12 HOLE ,CLAVICLE HOOK LOCKING COMPRESSION PLATE (LEFT & RIGHT) - 2/3/4/5/6/7/8 HOLE ,SUPERIOR ANTERIOR CLAVICLE LOCKING COMPRESSION PLATE (LEFT & RIGHT) - 3/4/5/6/7/8 HOLE ,CLAVICLE S BEND LOCKING COMPRESSION PLATE (LEFT & RIGHT) - 4/5/6/7/8/9/10/11/12 HOLE , PHILOS LOCKING COMPRESSION PLATE - 3/4/5/6/7/8/9/10/11/12 HOLE ,LOW PROFILE PHILOS LOCKING COMPRESSION PLATE - 3/4/5/6/7/8/9/10/11/12 HOLE , PROXIMAL HUMERUS LOCKING COMPRESSION PLATE - 3/4/5/6/7/8/9/10/11/12 HOLE ,DISTAL HUMERUS DORSOLATERAL LOCKING PLATE WITH SUPPORT(LEFT & RIGHT) - 3/4/5/6/7/8/9/10/11/12 HOLE ,DISTAL HUMERUS DORSOLATERAL LOCKING PLATE WITHOUT SUPPORT(LEFT & RIGHT) - 3/4/5/6/7/8/9/10/11/12 HOLE ,DISTAL HUMERUS MEDIAL LOCKING COMPRESSION PLATE (LEFT & RIGHT) - 3/4/5/6/7/8/9/10/11/12 HOLE ,DISTAL HUMERUS MEDIAL TO MEDIAL LOCKING COMPRESSION PLATE (LEFT & RIGHT) - 3/4/5/6/7/8/9/10/11/12 HOLE ,EXTRA - ARTICULAR DISTAL HUMERUS LOCKING COMPRESSION PLATE (LEFT & RIGHT) - 4/5/6/7/8/9/10/11/12/13/14 HOLE , OLECRANON LOCKING COMPRESSION PLATE - 2/3/4/5/6/7/8/9/10 HOLE , OLECRANON LOCKING COMPRESSION PLATE (LEFT / RIGHT) - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,OLECRANON VARIABLE ANGLE LOCKING COMPRESSION PLATE (LEFT / RIGHT) - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,SMALL LOCKING COMPRESSION PLATE - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20 HOLE ,RECONSTRUCTION LOCKING COMPRESSION PLATE 3.5MM - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20 HOLE ,RECONSTRUCTION LOCKING COMPRESSION PLATE 4.5MM - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20 HOLE , 1/3 TUBULAR LOCKING COMPRESSION PLATE - 3/4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20 HOLE ,SEMI TUBULAR LOCKING COMPRESSION PLATE (ROUND HOLE) - 3/4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20 HOLE ,DISTAL RADIUS L.C.P. STRAIGHT - 3/4/5/6/7/8/9/10 HOLE ,L-DISTAL RADIUS L.C.P. ANGLED (LEFT & RIGHT) - 2+3/2+4/2+5/2+6/2+7/2+8/2+9/2+10 HOLE ,L-DISTAL RADIUS L.C.P. ANGLED (LEFT & RIGHT) - 3+3/3+4/3+5/3+6/3+7/3+8/3+9/3+10 HOLE ,L-DISTAL RADIUS L.C.P. OBLIQUE ANGLED (LEFT & RIGHT) - 3+3/3+4/3+5/3+6/3+7/3+8/3+9/3+10 HOLE ,T-DISTAL RADIUS L.C.P. STEAIGHT - 2/3/4/5/6/7/8/9/10 HOLE ,DISTAL RADIUS VOLAR L.C.P. (6 HEAD LOCK) - 2/3/4/5/6/7/8/9/10 HOLE ,DISTAL RADIUS VARIABLE ANGLE VOLAR L.C.P. (5 HEAD LOCK) (LEFT & RIGHT) - 2/3/4/5/6/7/8/9/10 HOLE ,DISTAL RADIUS VARIABLE ANGLE VOLAR L.C.P. (4 HEAD LOCK) (LEFT & RIGHT) - 2/3/4/5/6/7/8/9/10 HOLE ,DISTAL RADIUS VOLAR KOPIS HEAD PLATE (5 HOLE) (LEFT & RIGHT) - 2/3/4/5/6/7/8/9/10 HOLE ,SMALL T LOCKING COMPRESSION PLATE - 2/3/4/5/6/7/8/9/10 HOLE ,ELLIS LOCKING PLATE 3.5MM - 2/3/4/5/6/7/8/9/10 HOLE ,ELLIS LOCKING PLATE 2.7MM - 2/3/4/5/6/7/8/9/10 HOLE ,D.H.S. LONG BARREL LOCKING COMPRESSION PLATE 120 degree - 2/3/4/5/6/7/8/9/10 HOLE ,D.H.S. LONG BARREL LOCKING COMPRESSION PLATE 125 degree - 2/3/4/5/6/7/8/9/10/11/12 HOLE
---	---

,D.H.S. LONG BARREL LOCKING COMPRESSION PLATE 130 degree - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. LONG BARREL LOCKING COMPRESSION PLATE 135 degree - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. LONG BARREL LOCKING COMPRESSION PLATE 140 degree - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. LONG BARREL LOCKING COMPRESSION PLATE 145 degree - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. SHORT BARREL LOCKING COMPRESSION PLATE 120 degree - 2/3/4/5/6/7/8/9/10 HOLE ,D.H.S. SHORT BARREL LOCKING COMPRESSION PLATE 125 degree - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S.SHORT BARREL LOCKING COMPRESSION PLATE 130 degree - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. SHORT BARREL LOCKING COMPRESSION PLATE 135 degree - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. SHORT BARREL LOCKING COMPRESSION PLATE 140 degree - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. SHORT BARREL LOCKING COMPRESSION PLATE 145 degree - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,PROXIMAL FEMUR LOCKING COMPRESSION PLATE (LEFT & RIGHT) - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20 HOLE ,PROXIMAL FEMUR LOCKING VARIABLE ANGLE PLATE (LEFT & RIGHT) - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20 HOLE ,NARROW LOCKING COMPRESSION PLATE - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20 HOLE ,BROAD LOCKING COMPRESSION PLATE - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20 HOLE ,DISTAL FEMORAL LOCKING COMPRESSION PLATE (LEFT & RIGHT) - 3/4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20 HOLE ,DISTAL FEMORAL LOCKING VARIABLE ANGLE PLATE (LEFT & RIGHT) - 3/4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20 HOLE ,T-BUTTRESS LOCKING COMPRESSION PLATE - 3/4/5/6/7/8/9/10/11/12/13/14/15/16 HOLE ,T-BUTTRESS LOCKING COMPRESSION PLATE (NEW) - 3/4/5/6/7/8/9/10/11/12/13/14/15/16 HOLE ,L-BUTTRESS LOCKING COMPRESSION PLATE (LEFT & RIGHT) - 3/4/5/6/7/8/9/10/11/12/13/14/15/16 HOLE ,L-BUTTRESS LOCKING COMPRESSION PLATE (LEFT & RIGHT) (NEW) - 3/4/5/6/7/8/9/10/11/12/13/14/15/16 HOLE ,LATERAL TIBIA LOCKING COMPRESSION PLATE (LEFT & RIGHT) - 3/4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20 HOLE ,LATERAL TIBIA LOCKING VARIABLE ANGLE PLATE (LEFT & RIGHT) - 3/4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20 HOLE ,PROXIMAL LATERAL TIBIA LOCKING COMPRESSION PLATE (LEFT & RIGHT) - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20 HOLE ,PROXIMAL LATERAL TIBIA LOCKING VARIABLE ANGLE PLATE (LEFT & RIGHT) - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20 HOLE ,PROXIMAL MEDIAL TIBIA LOCKING COMPRESSION PLATE (LEFT & RIGHT) - 3/4/5/6/7/8/9/10/11/12/13/14 HOLE ,PROXIMAL MEDIAL TIBIA LOCKING VARIABLE ANGLE PLATE (LEFT & RIGHT) - 3/4/5/6/7/8/9/10/11/12/13/14 HOLE ,POSTERIOR MEDIAL PROXIMAL TIBIA LOCKING COMPRESSION PLATE - 1/2/3/4/5/6/7/8/9/10/11/12 HOLE ,POSTERIOR MEDIAL PROXIMAL TIBIA LOCKING VARIABLE ANGLE PLATE - 1/2/3/4/5/6/7/8/9/10/11/12 HOLE ,TOMO FIX LOCKING COMPRESSION PLATE - 4 HOLE ,DISTAL MEDIAL TIBIA LOCKING COMPRESSION PLATE (LEFT & RIGHT) - 3/4/5/6/7/8/9/10/11/12/13/14/15/16 HOLE ,DISTAL MEDIAL TIBIA METAPHYSEAL LOCKING COMPRESSION PLATE - 5+4/5+5/5+6/5+7/5+8/5+9/5+10/5+11/5+12 HOLE ,ANTEROLATERAL DISTAL TIBIA LOCKING COMPRESSION PLATE (LEFT & RIGHT) - 3/4/5/6/7/8/9/10/11/12/13/14/15/16/17/18 HOLE ,DISTAL MEDIAL TIBIA LOCKING COMPRESSION PLATE (LEFT & RIGHT) New - 3/4/5/6/7/8/9/10/11/12/13/14/15/16/17/18 HOLE ,DISTAL MEDIAL TIBIA LOCKING VARIABLE ANGLE PLATE (LEFT & RIGHT) - 3/4/5/6/7/8/9/10/11/12/13/14/15/16/17/18 HOLE ,95 degree D.C.S. BARREL LOCKING COMPRESSION PLATE - 3/4/5/6/7/8/9/10/11/12/13/14 HOLE ,DISTAL FEBULA LOCKING COMPRESSION PLATE

- 2/3/4/5/6/7/8/9/10/11/12 HOLE ,LOW PROFILE DISTAL FEBULA LOCKING COMPRESSION PLATE - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,DISTAL FEBULA LOCKING VARIABLE ANGLE PLATE - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,OBLIQUE T LOCKING COMPRESSION PLATE - 2/3/4/5/6/7/8/9/10 HOLE ,OBLIQUE T LOCKING COMPRESSION PLATE (LEFT & RIGHT) - 2/3/4/5/6/7/8/9/10 HOLE ,CALCANEAL LOCKING COMPRESSION PLATE (LEFT & RIGHT) - P/Q/Y SHAPE ,CALCANEAL LOCKING COMPRESSION PLATE - H SHAPE ,CALCANEAL LOCKING COMPRESSION PLATE MULTI-HOLE(LEFT & RIGHT) - SMALL/MEDIUM ,CALCANEAL LOCKING PLATE COMBINED HOLE (LEFT & RIGHT) - 8/9 HOLE ,PHILOS LOCKING VARIABLE ANGLE PLATE - 3/4/5/6/7/8/9/10/11/12 HOLE ,DISTAL HUMERUS LOCKING VARIABLE ANGLE PLATE (LEFT & RIGHT) - 3/4/5/6/7/8/9/10/11/12 HOLE ,HOOK PLATE - 3/4/5/6/7/8/9/10/11/12 HOLE ,SMALL DYNAMIC COMPRESSION PLATE - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20 HOLE ,SMALL LOW CONTACT DYNAMIC COMPRESSION PLATE - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20 HOLE ,1/3 TUBULAR PLATE - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20 HOLE , SEMI TUBULAR PLATE - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20 HOLE ,3.5MM RECONSTRUCTION PLATE (ROUND HOLE) - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20 HOLE ,3.5MM RECONSTRUCTION PLATE (D.C.HOLE) - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20 HOLE ,2.7MM RECONSTRUCTION PLATE (ROUND HOLE) - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20 HOLE ,4.5MM RECONSTRUCTION PLATE (ROUND HOLE) - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20 HOLE , OBLIQUE T PLATE - 2/3/4/5/6/7/8/9/10/11/12/13/14 HOLE ,OBLIQUE T PLATE (LEFT & RIGHT) - 2/3/4/5/6/7/8/9/10/11/12/13/14 HOLE ,SMALL T PLATE - 2/3/4/5/6/7/8/9/10/11/12/13/14 HOLE ,ELLIS PLATE - 2/3/4/5/6/7/8/9/10 HOLE ,D.H. S. PLATE SHORT BARREL 120 degree (ROUND HOLE) - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. PLATE SHORT BARREL 125 degree (ROUND HOLE) - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. PLATE SHORT BARREL 130 degree (ROUND HOLE) - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. PLATE SHORT BARREL 135 degree (ROUND HOLE) - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. PLATE SHORT BARREL 140 degree (ROUND HOLE) - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. PLATE SHORT BARREL 145 degree (ROUND HOLE) - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. PLATE LONG BARREL 120 degree (ROUND HOLE) - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. PLATE LONG BARREL 125 degree (ROUND HOLE) - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. PLATE LONG BARREL 130 degree (ROUND HOLE) - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. PLATE LONG BARREL 135 degree (ROUND HOLE) - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D. H.S. PLATE LONG BARREL 140 degree (ROUND HOLE) - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. PLATE LONG BARREL 145 degree (ROUND HOLE) - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. PLATE SHORT BARREL 120 degree (D.C. HOLE) - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. PLATE SHORT BARREL 125 degree (D.C. HOLE) - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. PLATE SHORT BARREL 130 degree (D. C. HOLE) - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. PLATE SHORT BARREL 135 degree (D.C. HOLE) - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. PLATE SHORT BARREL 140 degree (D.C. HOLE) - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. PLATE SHORT BARREL 145 degree (D.C. HOLE) - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. PLATE LONG BARREL 120 degree (D.C. HOLE) - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. PLATE LONG BARREL 125 degree (D.C. HOLE) - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. PLATE LONG BARREL 130 degree (D.C. HOLE) - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. PLATE LONG BARREL 135 degree (D.C. HOLE) - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. PLATE LONG BARREL 140 degree (D.C. HOLE) - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. PLATE LONG BARREL 145 degree (D.C. HOLE) - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,95 degree D.C.S. PLATE SHORT BARREL (ROUND HOLE) - 3/4/5/6/7/8/9/10/11/12/13/14 HOLE ,95 degree D.C.

	S. PLATE LONG BARREL (ROUND HOLE) - 3/4/5/6/7/8/9/10/11/12/13/14 HOLE ,95 degree D.C.S. PLATE SHORT BARREL (D.C. HOLE) - 3/4/5/6/7/8/9/10/11/12/13/14 HOLE ,95 degree D.C.S. PLATE LONG BARREL (D.C. HOLE) - 3/4/5/6/7/8/9/10/11/12/13/14 HOLE ,ANGLE BLADE PLATE (D.C-HOLE) 95 degree 50MM - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18 HOLE ,ANGLE BLADE PLATE (D.C-HOLE) 95 degree 55MM - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18 HOLE ,ANGLE BLADE PLATE (D.C-HOLE) 95 degree 60MM - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18 HOLE ,ANGLE BLADE PLATE (D.C-HOLE) 95 degree 65MM - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18 HOLE ,ANGLE BLADE PLATE (D.C-HOLE) 95 degree 70MM - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18 HOLE ,ANGLE BLADE PLATE (D.C-HOLE) 95 degree 75MM - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18 HOLE ,ANGLE BLADE PLATE (D.C-HOLE) 95 degree 80MM - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18 HOLE , CONDYLAR BUTTRESS PLATE (LEFT & RIGHT) - 4/5/6/7/8/9/10/11/12/13/14/15/16 HOLE ,CLOVERLEAF PLATE - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18 HOLE , SHERMAN Y PLATE - 3/4/5/6/7/8/9/10 HOLE ,NARROW DYNAMIC COMPRESSION PLATE - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20 HOLE ,NARROW LOW CONTACT DYNAMIC COMPRESSION PLATE - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20 HOLE ,BROAD DYNAMIC COMPRESSION PLATE - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20 HOLE ,BROAD LOW CONTACT DYNAMIC COMPRESSION PLATE - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20 HOLE ,T BUTTRESS PLATE - 3/4/5/6/7/8/9/10/11/12/13/14/15/16 HOLE ,L BUTTRESS PLATE (LEFT & RIGHT) - 3/4/5/6/7/8/9/10/11/12/13/14/15/16 HOLE ,LATERAL TIBIA HOCKEY PLATE (LEFT & RIGHT) - 3/4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20 HOLE
--	---

4	1. Generic Name :Bone Plate (Titanium) 2. Brand Name :Orthrex/OYDIS 3. Notified Category :Orthopaedic Implants 4. Class of Medical Device :Class C 5. Shelf life :NIL 6. Sterile/Non-Sterile:Non-Sterilized 7. Intended Use :Bone plates are indicated for use in bone reconstruction, osteotomy, arthrodesis, joint fusion, fracture repair, and fracture fixation, appropriate for the size of the device. 8. Material of Construction: Titanium 9. Dimension: Various length and diameter of bone plates are available 10. Model/Catalogue No./Name :CLAVICLE LOCKING COMPRESSION PLATE (LEFT & RIGHT) - 4/5/6/7/8/9/10/11/12 HOLE ,CLAVICLE HOOK LOCKING COMPRESSION PLATE (LEFT & RIGHT) - 2/3/4/5/6/7/8 HOLE ,SUPERIOR ANTERIOR CLAVICLE LOCKING COMPRESSION PLATE (LEFT & RIGHT) - 3/4/5/6/7/8 HOLE ,CLAVICLE S BEND LOCKING COMPRESSION PLATE (LEFT & RIGHT) - 4/5/6/7/8/9/10/11/12 HOLE , PHILOS LOCKING COMPRESSION PLATE - 3/4/5/6/7/8/9/10/11/12 HOLE ,LOW PROFILE PHILOS LOCKING COMPRESSION PLATE - 3/4/5/6/7/8/9/10/11/12 HOLE , PROXIMAL HUMERUS LOCKING COMPRESSION PLATE - 3/4/5/6/7/8/9/10/11/12 HOLE ,DISTAL HUMERUS DORSOLATERAL LOCKING PLATE WITH SUPPORT(LEFT & RIGHT) - 3/4/5/6/7/8/9/10/11/12 HOLE ,DISTAL HUMERUS DORSOLATERAL LOCKING PLATE WITHOUT SUPPORT(LEFT & RIGHT) - 3/4/5/6/7/8/9/10/11/12 HOLE ,DISTAL HUMERUS MEDIAL LOCKING COMPRESSION PLATE (LEFT & RIGHT) - 3/4/5/6/7/8/9/10/11/12 HOLE ,DISTAL HUMERUS MEDIAL TO MEDIAL LOCKING COMPRESSION PLATE (LEFT & RIGHT) - 3/4/5/6/7/8/9/10/11/12 HOLE ,EXTRA - ARTICULAR DISTAL HUMERUS LOCKING COMPRESSION PLATE (LEFT & RIGHT) - 4/5/6/7/8/9/10/11/12/13/14 HOLE , OLECRANON LOCKING COMPRESSION PLATE - 2/3/4/5/6/7/8/9/10 HOLE , OLECRANON LOCKING COMPRESSION PLATE (LEFT / RIGHT) - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,OLECRANON VARIABLE ANGLE LOCKING COMPRESSION PLATE (LEFT / RIGHT) - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,SMALL LOCKING COMPRESSION PLATE - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20 HOLE ,RECONSTRUCTION LOCKING COMPRESSION PLATE 3.5MM - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20 HOLE ,RECONSTRUCTION LOCKING COMPRESSION PLATE 4.5MM - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20 HOLE , 1/3 TUBULAR LOCKING COMPRESSION PLATE - 3/4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20 HOLE ,SEMI TUBULAR LOCKING COMPRESSION PLATE (ROUND HOLE) - 3/4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20 HOLE ,DISTAL RADIUS L.C.P. STRAIGHT - 3/4/5/6/7/8/9/10 HOLE ,L-DISTAL RADIUS L.C.P. ANGLED (LEFT & RIGHT) - 2+3/2+4/2+5/2+6/2+7/2+8/2+9/2+10 HOLE ,L-DISTAL RADIUS L.C.P. ANGLED (LEFT & RIGHT) - 3+3/3+4/3+5/3+6/3+7/3+8/3+9/3+10 HOLE ,L-DISTAL RADIUS L.C.P. OBLIQUE ANGLED (LEFT & RIGHT) - 3+3/3+4/3+5/3+6/3+7/3+8/3+9/3+10 HOLE ,T-DISTAL RADIUS L.C.P. STEAIGHT - 2/3/4/5/6/7/8/9/10 HOLE ,DISTAL RADIUS VOLAR L.C.P. (6 HEAD LOCK) - 2/3/4/5/6/7/8/9/10 HOLE ,DISTAL RADIUS VARIABLE ANGLE VOLAR L.C.P. (5 HEAD LOCK) (LEFT & RIGHT) - 2/3/4/5/6/7/8/9/10 HOLE ,DISTAL RADIUS VARIABLE ANGLE VOLAR L.C.P. (4 HEAD LOCK) (LEFT & RIGHT) - 2/3/4/5/6/7/8/9/10 HOLE ,DISTAL RADIUS VOLAR KOPIS HEAD PLATE (5 HOLE) (LEFT & RIGHT) - 2/3/4/5/6/7/8/9/10 HOLE ,SMALL T LOCKING COMPRESSION PLATE - 2/3/4/5/6/7/8/9/10 HOLE ,ELLIS LOCKING PLATE 3.5MM - 2/3/4/5/6/7/8/9/10 HOLE ,ELLIS LOCKING PLATE 2.7MM - 2/3/4/5/6/7/8/9/10 HOLE ,D.H.S. LONG BARREL LOCKING COMPRESSION PLATE 120 degree - 2/3/4/5/6/7/8/9/10 HOLE ,D.H.S. LONG BARREL LOCKING COMPRESSION PLATE 125 degree - 2/3/4/5/6/7/8/9/10/11/12 HOLE
---	---

,D.H.S. LONG BARREL LOCKING COMPRESSION PLATE 130 degree - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. LONG BARREL LOCKING COMPRESSION PLATE 135 degree - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. LONG BARREL LOCKING COMPRESSION PLATE 140 degree - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. LONG BARREL LOCKING COMPRESSION PLATE 145 degree - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. SHORT BARREL LOCKING COMPRESSION PLATE 120 degree - 2/3/4/5/6/7/8/9/10 HOLE ,D.H.S. SHORT BARREL LOCKING COMPRESSION PLATE 125 degree - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S.SHORT BARREL LOCKING COMPRESSION PLATE 130 degree - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. SHORT BARREL LOCKING COMPRESSION PLATE 135 degree - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. SHORT BARREL LOCKING COMPRESSION PLATE 140 degree - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. SHORT BARREL LOCKING COMPRESSION PLATE 145 degree - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,PROXIMAL FEMUR LOCKING COMPRESSION PLATE (LEFT & RIGHT) - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20 HOLE ,PROXIMAL FEMUR LOCKING VARIABLE ANGLE PLATE (LEFT & RIGHT) - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20 HOLE ,NARROW LOCKING COMPRESSION PLATE - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20 HOLE ,BROAD LOCKING COMPRESSION PLATE - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20 HOLE ,DISTAL FEMORAL LOCKING COMPRESSION PLATE (LEFT & RIGHT) - 3/4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20 HOLE ,DISTAL FEMORAL LOCKING VARIABLE ANGLE PLATE (LEFT & RIGHT) - 3/4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20 HOLE ,T-BUTTRESS LOCKING COMPRESSION PLATE - 3/4/5/6/7/8/9/10/11/12/13/14/15/16 HOLE ,T-BUTTRESS LOCKING COMPRESSION PLATE (NEW) - 3/4/5/6/7/8/9/10/11/12/13/14/15/16 HOLE ,L-BUTTRESS LOCKING COMPRESSION PLATE (LEFT & RIGHT) - 3/4/5/6/7/8/9/10/11/12/13/14/15/16 HOLE ,L-BUTTRESS LOCKING COMPRESSION PLATE (LEFT & RIGHT) (NEW) - 3/4/5/6/7/8/9/10/11/12/13/14/15/16 HOLE ,LATERAL TIBIA LOCKING COMPRESSION PLATE (LEFT & RIGHT) - 3/4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20 HOLE ,LATERAL TIBIA LOCKING VARIABLE ANGLE PLATE (LEFT & RIGHT) - 3/4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20 HOLE ,PROXIMAL LATERAL TIBIA LOCKING COMPRESSION PLATE (LEFT & RIGHT) - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20 HOLE ,PROXIMAL LATERAL TIBIA LOCKING VARIABLE ANGLE PLATE (LEFT & RIGHT) - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20 HOLE ,PROXIMAL MEDIAL TIBIA LOCKING COMPRESSION PLATE (LEFT & RIGHT) - 3/4/5/6/7/8/9/10/11/12/13/14 HOLE ,PROXIMAL MEDIAL TIBIA LOCKING VARIABLE ANGLE PLATE (LEFT & RIGHT) - 3/4/5/6/7/8/9/10/11/12/13/14 HOLE ,POSTERIOR MEDIAL PROXIMAL TIBIA LOCKING COMPRESSION PLATE - 1/2/3/4/5/6/7/8/9/10/11/12 HOLE ,POSTERIOR MEDIAL PROXIMAL TIBIA LOCKING VARIABLE ANGLE PLATE - 1/2/3/4/5/6/7/8/9/10/11/12 HOLE ,TOMO FIX LOCKING COMPRESSION PLATE - 4 HOLE ,DISTAL MEDIAL TIBIA LOCKING COMPRESSION PLATE (LEFT & RIGHT) - 3/4/5/6/7/8/9/10/11/12/13/14/15/16 HOLE ,DISTAL MEDIAL TIBIA METAPHYSEAL LOCKING COMPRESSION PLATE - 5+4/5+5/5+6/5+7/5+8/5+9/5+10/5+11/5+12 HOLE ,ANTEROLATERAL DISTAL TIBIA LOCKING COMPRESSION PLATE (LEFT & RIGHT) - 3/4/5/6/7/8/9/10/11/12/13/14/15/16/17/18 HOLE ,DISTAL MEDIAL TIBIA LOCKING COMPRESSION PLATE (LEFT & RIGHT) New - 3/4/5/6/7/8/9/10/11/12/13/14/15/16/17/18 HOLE ,DISTAL MEDIAL TIBIA LOCKING VARIABLE ANGLE PLATE (LEFT & RIGHT) - 3/4/5/6/7/8/9/10/11/12/13/14/15/16/17/18 HOLE ,95 degree D.C.S. BARREL LOCKING COMPRESSION PLATE - 3/4/5/6/7/8/9/10/11/12/13/14 HOLE ,DISTAL FEBULA LOCKING COMPRESSION PLATE

- 2/3/4/5/6/7/8/9/10/11/12 HOLE ,LOW PROFILE DISTAL FEBULA LOCKING COMPRESSION PLATE - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,DISTAL FEBULA LOCKING VARIABLE ANGLE PLATE - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,OBLIQUE T LOCKING COMPRESSION PLATE - 2/3/4/5/6/7/8/9/10 HOLE ,OBLIQUE T LOCKING COMPRESSION PLATE (LEFT & RIGHT) - 2/3/4/5/6/7/8/9/10 HOLE ,CALCANEAL LOCKING COMPRESSION PLATE (LEFT & RIGHT) - P/Q/Y SHAPE ,CALCANEAL LOCKING COMPRESSION PLATE - H SHAPE ,CALCANEAL LOCKING COMPRESSION PLATE MULTI-HOLE(LEFT & RIGHT) - SMALL/MEDIUM ,PHILOS LOCKING VARIABLE ANGLE PLATE - 3/4/5/6/7/8/9/10/11/12 HOLE ,DISTAL HUMERUS LOCKING VARIABLE ANGLE PLATE (LEFT & RIGHT) - 3/4/5/6/7/8/9/10/11/12 HOLE ,HOOK PLATE - 3/4/5/6/7/8/9/10/11/12 HOLE ,SMALL DYNAMIC COMPRESSION PLATE - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20 HOLE ,SMALL LOW CONTACT DYNAMIC COMPRESSION PLATE - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20 HOLE ,1/3 TUBULAR PLATE - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20 HOLE , SEMI TUBULAR PLATE - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20 HOLE ,3.5MM RECONSTRUCTION PLATE (ROUND HOLE) - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20 HOLE ,3.5MM RECONSTRUCTION PLATE (D.C.HOLE) - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20 HOLE ,2.7MM RECONSTRUCTION PLATE (ROUND HOLE) - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20 HOLE ,4.5MM RECONSTRUCTION PLATE (ROUND HOLE) - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20 HOLE , OBLIQUE T PLATE - 2/3/4/5/6/7/8/9/10/11/12/13/14 HOLE ,OBLIQUE T PLATE (LEFT & RIGHT) - 2/3/4/5/6/7/8/9/10/11/12/13/14 HOLE ,SMALL T PLATE - 2/3/4/5/6/7/8/9/10/11/12/13/14 HOLE ,ELLIS PLATE - 2/3/4/5/6/7/8/9/10 HOLE ,D.H. S. PLATE SHORT BARREL 120 degree (ROUND HOLE) - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. PLATE SHORT BARREL 125 degree (ROUND HOLE) - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. PLATE SHORT BARREL 130 degree (ROUND HOLE) - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. PLATE SHORT BARREL 135 degree (ROUND HOLE) - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. PLATE SHORT BARREL 140 degree (ROUND HOLE) - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. PLATE SHORT BARREL 145 degree (ROUND HOLE) - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. PLATE LONG BARREL 120 degree (ROUND HOLE) - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. PLATE LONG BARREL 125 degree (ROUND HOLE) - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. PLATE LONG BARREL 130 degree (ROUND HOLE) - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. PLATE LONG BARREL 135 degree (ROUND HOLE) - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D. H.S. PLATE LONG BARREL 140 degree (ROUND HOLE) - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. PLATE LONG BARREL 145 degree (ROUND HOLE) - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. PLATE SHORT BARREL 120 degree (D.C. HOLE) - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. PLATE SHORT BARREL 125 degree (D.C. HOLE) - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. PLATE SHORT BARREL 130 degree (D. C. HOLE) - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. PLATE SHORT BARREL 135 degree (D.C. HOLE) - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. PLATE SHORT BARREL 140 degree (D.C. HOLE) - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. PLATE SHORT BARREL 145 degree (D.C. HOLE) - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. PLATE LONG BARREL 120 degree (D.C. HOLE) - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. PLATE LONG BARREL 125 degree (D.C. HOLE) - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. PLATE LONG BARREL 130 degree (D.C. HOLE) - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. PLATE LONG BARREL 135 degree (D.C. HOLE) - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. PLATE LONG BARREL 140 degree (D.C. HOLE) - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,D.H.S. PLATE LONG BARREL 145 degree (D.C. HOLE) - 2/3/4/5/6/7/8/9/10/11/12 HOLE ,95 degree D.C.S. PLATE SHORT BARREL (ROUND HOLE) - 3/4/5/6/7/8/9/10/11/12/13/14 HOLE ,95 degree D.C. S. PLATE LONG BARREL (ROUND HOLE) - 3/4/5/6/7/8/9/10/11/12/13/14 HOLE ,95

	degree D.C.S. PLATE SHORT BARREL (D.C. HOLE) - 3/4/5/6/7/8/9/10/11/12/13/14 HOLE ,95 degree D.C.S. PLATE LONG BARREL (D.C. HOLE) - 3/4/5/6/7/8/9/10/11/12/13/14 HOLE ,ANGLE BLADE PLATE (D.C-HOLE) 95 degree 50MM - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18 HOLE ,ANGLE BLADE PLATE (D.C-HOLE) 95 degree 55MM - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18 HOLE ,ANGLE BLADE PLATE (D.C-HOLE) 95 degree 60MM - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18 HOLE ,ANGLE BLADE PLATE (D.C-HOLE) 95 degree 65MM - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18 HOLE ,ANGLE BLADE PLATE (D.C-HOLE) 95 degree 70MM - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18 HOLE ,ANGLE BLADE PLATE (D.C-HOLE) 95 degree 75MM - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18 HOLE ,ANGLE BLADE PLATE (D.C-HOLE) 95 degree 80MM - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18 HOLE , CONDYLAR BUTTRESS PLATE (LEFT & RIGHT) - 4/5/6/7/8/9/10/11/12/13/14/15/16 HOLE ,CLOVERLEAF PLATE - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18 HOLE , SHERMAN Y PLATE - 3/4/5/6/7/8/9/10 HOLE ,NARROW DYNAMIC COMPRESSION PLATE - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20 HOLE ,NARROW LOW CONTACT DYNAMIC COMPRESSION PLATE - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20 HOLE ,BROAD DYNAMIC COMPRESSION PLATE - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20 HOLE ,BROAD LOW CONTACT DYNAMIC COMPRESSION PLATE - 4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20 HOLE ,T BUTTRESS PLATE - 3/4/5/6/7/8/9/10/11/12/13/14/15/16 HOLE ,L BUTTRESS PLATE (LEFT & RIGHT) - 3/4/5/6/7/8/9/10/11/12/13/14/15/16 HOLE ,LATERAL TIBIA HOCKEY PLATE (LEFT & RIGHT) - 3/4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20 HOLE ,CALCENIUM PLATE (LEFT & RIGHT) - P/Q/Y/H SHAPE ,CALCENIUM PLATE MULTI-HOLE (LEFT & RIGHT) - SMALL/MEDIUM ,MTP FUSSION PLATE (LEFT & RIGHT) - 1 / 2 HOLE ,TMT FUSSION PLATE (LEFT & RIGHT) - 1 / 2 HOLE ,L FUSSION PLATE (LEFT & RIGHT) - 1 / 2 HOLE , STRAIGHT FUSSION PLATE - 5 HOLE ,CLOVER-LEAF FUSSION PLATE - 3 / 4 HOLE ,T FUSSION PLATE - 3 / 4 HOLE ,2ND TMT FUSSION PLATE - 3 / 4 HOLE ,FOOT CALCANEAL PLATE (LEFT & RIGHT) - SMALL / MEDIUM ,X-FUSSION PLATE - EXTRA SMALL / SMALL / MEDIUM / LARGE
--	--

5	1. Generic Name :Intramedullary Nail (SS) 2. Brand Name :Orthrex/OYDIS 3. Notified Category :Orthopaedic Implants 4. Class of Medical Device :Class C 5. Shelf life :NIL 6. Sterile/Non-Sterile:Non-Sterilized 7. Intended Use :Intramedullary Nail is intended to be used for fixation and stabilization of long bones in various anatomical regions such as proximal femur femoral shaft, tibia and humerus. 8. Material of Construction: Stainless Steel 316L 9. Dimension: Various length and diameter of intramedullary nails are available 10. Model/Catalogue No./Name :INTERLOCKING NAIL FOR HUMERUS (CANNULATED) - 6MM X 18/20/22/24/26/28/30/32CM ,INTERLOCKING NAIL FOR HUMERUS (CANNULATED) - 7MM X 18/20/22/24/26/28/30/32CM ,INTERLOCKING NAIL FOR HUMERUS (CANNULATED) - 8MM X 18/20/22/24/26/28/30/32CM ,INTERLOCKING NAIL FOR HUMERUS (SOLID) - 6MM X 18/20/22/24/26/28/30/32CM ,INTERLOCKING NAIL FOR HUMERUS (SOLID) - 7MM X 18/20/22/24/26/28/30/32CM ,INTERLOCKING NAIL FOR HUMERUS (SOLID) - 8MM X 18/20/22/24/26/28/30/32CM ,INTERLOCKING NAIL FOR TIBIA (CANNULATED) - 8MM X 24/25/26/27/28/29/30/31/32/33/34/35/36/37/38/39/40/41/42/43/44/45/46/47 /48/49/50CM ,INTERLOCKING NAIL FOR TIBIA (CANNULATED) - 9MM X 24/25/26/27/28/29/30/31/32/33/34/35/36/37/38/39/40/41/42/43/44/45/46/47 /48/49/50CM ,INTERLOCKING NAIL FOR TIBIA (CANNULATED) - 10MM X 24/25/26/27/28/29/30/31/32/33/34/35/36/37/38/39/40/41/42/43/44/45/46/47 /48/49/50CM ,INTERLOCKING NAIL FOR TIBIA (CANNULATED) - 11MM X 24/25/26/27/28/29/30/31/32/33/34/35/36/37/38/39/40/41/42/43/44/45/46/47 /48/49/50CM ,INTERLOCKING NAIL FOR TIBIA (CANNULATED) - 12MM X 24/25/26/27/28/29/30/31/32/33/34/35/36/37/38/39/40/41/42/43/44/45/46/47 /48/49/50CM ,INTERLOCKING NAIL FOR TIBIA (SOLID) - 8MM X 24/25/26/27/28/29/30/31/32/33/34/35/36/37/38/39/40/41/42/43/44/45/46/47 /48/49/50CM ,INTERLOCKING NAIL FOR TIBIA (SOLID) - 9MM X 24/25/26/27/28/29/30/31/32/33/34/35/36/37/38/39/40/41/42/43/44/45/46/47 /48/49/50CM ,INTERLOCKING NAIL FOR TIBIA (SOLID) - 10MM X 24/25/26/27/28/29/30/31/32/33/34/35/36/37/38/39/40/41/42/43/44/45/46/47 /48/49/50CM ,INTERLOCKING NAIL FOR TIBIA (SOLID) - 11MM X 24/25/26/27/28/29/30/31/32/33/34/35/36/37/38/39/40/41/42/43/44/45/46/47 /48/49/50CM ,INTERLOCKING NAIL FOR TIBIA (SOLID) - 12MM X 24/25/26/27/28/29/30/31/32/33/34/35/36/37/38/39/40/41/42/43/44/45/46/47 /48/49/50CM ,INTERLOCKING NAIL FOR FEMUR (CANNULATED) - 8MM X 26/28/30/32/34/36/38/40/42/44/46/48/50CM ,INTERLOCKING NAIL FOR FEMUR (CANNULATED) - 9MM X 26/28/30/32/34/36/38/40/42/44/46/48/50CM , INTERLOCKING NAIL FOR FEMUR (CANNULATED) - 10MM X 26/28/30/32/34/36/38/40/42/44/46/48/50CM ,INTERLOCKING NAIL FOR FEMUR (CANNULATED) - 11MM X 26/28/30/32/34/36/38/40/42/44/46/48/50CM , INTERLOCKING NAIL FOR FEMUR (CANNULATED) - 12MM X 26/28/30/32/34/36/38/40/42/44/46/48/50CM ,INTERLOCKING NAIL FOR FEMUR (SOLID) - 8MM X 26/28/30/32/34/36/38/40/42/44/46/48/50CM ,INTERLOCKING NAIL FOR FEMUR (SOLID) - 9MM X 26/28/30/32/34/36/38/40/42/44/46/48/50CM , INTERLOCKING NAIL FOR FEMUR (SOLID) - 10MM X 26/28/30/32/34/36/38/40/42/44/46/48/50CM ,INTERLOCKING NAIL FOR FEMUR (SOLID) - 11MM X 26/28/30/32/34/36/38/40/42/44/46/48/50CM ,INTERLOCKING NAIL FOR FEMUR (SOLID) - 12MM X 26/28/30/32/34/36/38/40/42/44/46/48/50CM ,
---	---

SYRUS TIBIA NAIL - 8MM X 26/28/30/32/34/36/38/40CM ,SYRUS TIBIA NAIL - 9MM X 26/28/30/32/34/36/38/40CM ,SYRUS TIBIA NAIL - 10MM X 26/28/30/32/34/36/38/40CM ,SYRUS TIBIA NAIL - 11MM X 26/28/30/32/34/36/38/40CM ,SYRUS FEMUR NAIL - 8MM X 32/34/36/38/40/42/44/46CM ,SYRUS FEMUR NAIL - 9MM X 32/34/36/38/40/42/44/46CM ,SYRUS FEMUR NAIL - 10MM X 32/34/36/38/40/42/44/46CM ,SYRUS FEMUR NAIL - 11MM X 32/34/36/38/40/42/44/46CM ,SYRUS FEMUR NAIL - 12MM X 32/34/36/38/40/42/44/46CM ,TROCHANTERIC FEMORAL NAIL (T.F.N.) (130 degree) Dia 9/10/11/12/13 MM - 18cm ,TROCHANTERIC FEMORAL NAIL (T.F.N.) (135 degree) Dia 9/10/11/12/13 MM - 18cm ,PROXIMAL FEMORAL NAIL (P.F.N.) (130 degree) Dia 9/10/11/12/13 MM - 25cm ,PROXIMAL FEMORAL NAIL (P.F.N.) (135 degree) Dia 9/10/11/12/13 MM - 25cm ,PROXIMAL FEMORAL NAIL (P.F.N) (LEFT / RIGHT) (130 degree & 135 degree) - 9MM X 32/34/36/38/40/42/44/46/48/50CM ,PROXIMAL FEMORAL NAIL (P.F.N) (LEFT / RIGHT) (130 degree & 135 degree) - 10MM X 32/34/36/38/40/42/44/46/48/50CM ,PROXIMAL FEMORAL NAIL (P.F.N) (LEFT / RIGHT) (130 degree & 135 degree) - 11MM X 32/34/36/38/40/42/44/46/48/50CM , PROXIMAL FEMORAL NAIL (P.F.N) (LEFT / RIGHT) (130 degree & 135 degree) - 12MM X 32/34/36/38/40/42/44/46/48/50CM ,SUPRA CONDYLAR NAIL (I.M.S.C.) - 10MM X 15/20/25/30CM ,SUPRA CONDYLAR NAIL (I.M.S.C.) - 11MM X 15/20/25/30CM ,SUPRA CONDYLAR NAIL (I.M.S.C.) - 12MM X 15/20/25/30CM ,SUPRA CONDYLAR NAIL (I.M.S.C.) - 13MM X 15/20/25/30CM ,K-NAIL (KUNTSCHER NAIL) - 8MM X 26/28/30/32/34/36/38/40/42/44/46CM ,K-NAIL (KUNTSCHER NAIL) - 9MM X 26/28/30/32/34/36/38/40/42/44/46CM ,K-NAIL (KUNTSCHER NAIL) - 10MM X 26/28/30/32/34/36/38/40/42/44/46CM ,K-NAIL (KUNTSCHER NAIL) - 11MM X 26/28/30/32/34/36/38/40/42/44/46CM ,K-NAIL (KUNTSCHER NAIL) - 12MM X 26/28/30/32/34/36/38/40/42/44/46CM ,V-NAIL (KUNTSCHER NAIL) - 8MM X 26/28/30/32/34/36/38/40CM ,V-NAIL (KUNTSCHER NAIL) - 9MM X 26/28/30/32/34/36/38/40CM ,V-NAIL (KUNTSCHER NAIL) - 10MM X 26/28/30/32/34/36/38/40CM ,V-NAIL (KUNTSCHER NAIL) - 11MM X 26/28/30/32/34/36/38/40CM ,V-NAIL (KUNTSCHER NAIL) - 12MM X 26/28/30/32/34/36/38/40CM ,ENDERS NAIL - 2.0 MM X 14/15/16/17/18/19/20/21/22/23/24/25/26/27/28/29/30/31/32/33/34/35/36/37/38 /39/40/41/42/43/44/45 CM ,ENDERS NAIL - 2.5 MM X 14/15/16/17/18/19/20/21/22/23/24/25/26/27/28/29/30/31/32/33/34/35/36/37/38 /39/40/41/42/43/44/45 CM ,ENDERS NAIL - 3.0 MM X 14/15/16/17/18/19/20/21/22/23/24/25/26/27/28/29/30/31/32/33/34/35/36/37/38 /39/40/41/42/43/44/45 CM ,ENDERS NAIL - 3.5 MM X 14/15/16/17/18/19/20/21/22/23/24/25/26/27/28/29/30/31/32/33/34/35/36/37/38 /39/40/41/42/43/44/45 CM ,ENDERS NAIL - 4.0 MM X 14/15/16/17/18/19/20/21/22/23/24/25/26/27/28/29/30/31/32/33/34/35/36/37/38 /39/40/41/42/43/44/45 CM ,ENDERS NAIL - 4.5 MM X 14/15/16/17/18/19/20/21/22/23/24/25/26/27/28/29/30/31/32/33/34/35/36/37/38 /39/40/41/42/43/44/45 CM ,RUSH NAIL - 1.5 MM X 14/15/16/17/18/19/20/21/22/23/24/25/26/27/28/29/30/31/32/33/34/35/36/37/38 /39/40/41/42/43/44/45CM ,RUSH NAIL - 2.0 MM X 14/15/16/17/18/19/20/21/22/23/24/25/26/27/28/29/30/31/32/33/34/35/36/37/38 /39/40/41/42/43/44/45CM ,RUSH NAIL - 2.5 MM X 14/15/16/17/18/19/20/21/22/23/24/25/26/27/28/29/30/31/32/33/34/35/36/37/38 /39/40/41/42/43/44/45CM ,RUSH NAIL - 3.0 MM X 14/15/16/17/18/19/20/21/22/23/24/25/26/27/28/29/30/31/32/33/34/35/36/37/38 /39/40/41/42/43/44/45CM ,RUSH NAIL - 3.5 MM X

14/15/16/17/18/19/20/21/22/23/24/25/26/27/28/29/30/31/32/33/34/35/36/37/38/39/40/41/42/43/44/45CM ,RUSH NAIL - 4.0 MM X
14/15/16/17/18/19/20/21/22/23/24/25/26/27/28/29/30/31/32/33/34/35/36/37/38/39/40/41/42/43/44/45CM ,RUSH NAIL - 4.5 MM X
14/15/16/17/18/19/20/21/22/23/24/25/26/27/28/29/30/31/32/33/34/35/36/37/38/39/40/41/42/43/44/45CM ,SQUARE NAIL - 2.0 MM X
14/15/16/17/18/19/20/21/22/23/24/25/26/27/28/29/30/31/32/33/34CM ,SQUARE NAIL - 2.5 MM X
14/15/16/17/18/19/20/21/22/23/24/25/26/27/28/29/30/31/32/33/34CM ,SQUARE NAIL - 3.0 MM X
14/15/16/17/18/19/20/21/22/23/24/25/26/27/28/29/30/31/32/33/34CM ,SQUARE NAIL - 3.5 MM X
14/15/16/17/18/19/20/21/22/23/24/25/26/27/28/29/30/31/32/33/34CM ,SQUARE NAIL - 4.0 MM X
14/15/16/17/18/19/20/21/22/23/24/25/26/27/28/29/30/31/32/33/34CM ,SQUARE NAIL - 4.5 MM X
14/15/16/17/18/19/20/21/22/23/24/25/26/27/28/29/30/31/32/33/34CM ,
RECONSTRUCTION NAIL (LEFT / RIGHT) - 9MM X 32/34/36/38/40/42/44CM ,
RECONSTRUCTION NAIL (LEFT / RIGHT) - 10MM X 32/34/36/38/40/42/44CM ,
RECONSTRUCTION NAIL (LEFT / RIGHT) - 11MM X 32/34/36/38/40/42/44CM ,
RECONSTRUCTION NAIL (LEFT / RIGHT) - 12MM X 32/34/36/38/40/42/44CM ,
PROXIMAL FEMUR NAIL ANTIGRADE (125 degree/130 degree/135 degree) - 9MM X
18/20/22/24/26/28/30/32/34/36/38/40/42CM ,PROXIMAL FEMUR NAIL ANTIGRADE (125 degree/130 degree/135 degree) - 10MM X
18/20/22/24/26/28/30/32/34/36/38/40/42CM ,PROXIMAL FEMUR NAIL ANTIGRADE (125 degree/130 degree/135 degree) - 11MM X
18/20/22/24/26/28/30/32/34/36/38/40/42CM ,PROXIMAL FEMUR NAIL ANTIGRADE (125 degree/130 degree/135 degree) - 12MM X
18/20/22/24/26/28/30/32/34/36/38/40/42CM

6	1. Generic Name :Intramedullary Nail (Titanium) 2. Brand Name :Orthrex/OYDIS 3. Notified Category :Orthopaedic Implants 4. Class of Medical Device :Class C 5. Shelf life :NIL 6. Sterile/Non-Sterile:Non-Sterilized 7. Intended Use :Intramedullary Nail is intended to be used for fixation and stabilization of long bones in various anatomical regions such as proximal femur femoral shaft, tibia and humerus. 8. Material of Construction: Titanium 9. Dimension: Various length and diameter of intramedullary nails are available 10. Model/Catalogue No./Name :INTERLOCKING NAIL FOR HUMERUS (CANNULATED) - 6MM X 18/20/22/24/26/28/30/32CM ,INTERLOCKING NAIL FOR HUMERUS (CANNULATED) - 7MM X 18/20/22/24/26/28/30/32CM ,INTERLOCKING NAIL FOR HUMERUS (CANNULATED) - 8MM X 18/20/22/24/26/28/30/32CM ,INTERLOCKING NAIL FOR HUMERUS (SOLID) - 6MM X 18/20/22/24/26/28/30/32CM ,INTERLOCKING NAIL FOR HUMERUS (SOLID) - 7MM X 18/20/22/24/26/28/30/32CM ,INTERLOCKING NAIL FOR HUMERUS (SOLID) - 8MM X 18/20/22/24/26/28/30/32CM ,INTERLOCKING NAIL FOR TIBIA (CANNULATED) - 8MM X 24/25/26/27/28/29/30/31/32/33/34/35/36/37/38/39/40/41/42/43/44/45/46/47 /48/49/50CM ,INTERLOCKING NAIL FOR TIBIA (CANNULATED) - 9MM X 24/25/26/27/28/29/30/31/32/33/34/35/36/37/38/39/40/41/42/43/44/45/46/47 /48/49/50CM ,INTERLOCKING NAIL FOR TIBIA (CANNULATED) - 10MM X 24/25/26/27/28/29/30/31/32/33/34/35/36/37/38/39/40/41/42/43/44/45/46/47 /48/49/50CM ,INTERLOCKING NAIL FOR TIBIA (CANNULATED) - 11MM X 24/25/26/27/28/29/30/31/32/33/34/35/36/37/38/39/40/41/42/43/44/45/46/47 /48/49/50CM ,INTERLOCKING NAIL FOR TIBIA (CANNULATED) - 12MM X 24/25/26/27/28/29/30/31/32/33/34/35/36/37/38/39/40/41/42/43/44/45/46/47 /48/49/50CM ,INTERLOCKING NAIL FOR TIBIA (SOLID) - 8MM X 24/25/26/27/28/29/30/31/32/33/34/35/36/37/38/39/40/41/42/43/44/45/46/47 /48/49/50CM ,INTERLOCKING NAIL FOR TIBIA (SOLID) - 9MM X 24/25/26/27/28/29/30/31/32/33/34/35/36/37/38/39/40/41/42/43/44/45/46/47 /48/49/50CM ,INTERLOCKING NAIL FOR TIBIA (SOLID) - 10MM X 24/25/26/27/28/29/30/31/32/33/34/35/36/37/38/39/40/41/42/43/44/45/46/47 /48/49/50CM ,INTERLOCKING NAIL FOR TIBIA (SOLID) - 11MM X 24/25/26/27/28/29/30/31/32/33/34/35/36/37/38/39/40/41/42/43/44/45/46/47 /48/49/50CM ,INTERLOCKING NAIL FOR TIBIA (SOLID) - 12MM X 24/25/26/27/28/29/30/31/32/33/34/35/36/37/38/39/40/41/42/43/44/45/46/47 /48/49/50CM ,INTERLOCKING NAIL FOR FEMUR (CANNULATED) - 8MM X 26/28/30/32/34/36/38/40/42/44/46/48/50CM ,INTERLOCKING NAIL FOR FEMUR (CANNULATED) - 9MM X 26/28/30/32/34/36/38/40/42/44/46/48/50CM , INTERLOCKING NAIL FOR FEMUR (CANNULATED) - 10MM X 26/28/30/32/34/36/38/40/42/44/46/48/50CM ,INTERLOCKING NAIL FOR FEMUR (CANNULATED) - 11MM X 26/28/30/32/34/36/38/40/42/44/46/48/50CM , INTERLOCKING NAIL FOR FEMUR (CANNULATED) - 12MM X 26/28/30/32/34/36/38/40/42/44/46/48/50CM ,INTERLOCKING NAIL FOR FEMUR (SOLID) - 8MM X 26/28/30/32/34/36/38/40/42/44/46/48/50CM ,INTERLOCKING NAIL FOR FEMUR (SOLID) - 9MM X 26/28/30/32/34/36/38/40/42/44/46/48/50CM , INTERLOCKING NAIL FOR FEMUR (SOLID) - 10MM X 26/28/30/32/34/36/38/40/42/44/46/48/50CM ,INTERLOCKING NAIL FOR FEMUR (SOLID) - 11MM X 26/28/30/32/34/36/38/40/42/44/46/48/50CM ,INTERLOCKING NAIL FOR FEMUR (SOLID) - 12MM X 26/28/30/32/34/36/38/40/42/44/46/48/50CM ,
---	---

SYRUS TIBIA NAIL - 8MM X 26/28/30/32/34/36/38/40CM ,SYRUS TIBIA NAIL - 9MM X 26/28/30/32/34/36/38/40CM ,SYRUS TIBIA NAIL - 10MM X 26/28/30/32/34/36/38/40CM ,SYRUS TIBIA NAIL - 11MM X 26/28/30/32/34/36/38/40CM ,SYRUS FEMUR NAIL - 8MM X 32/34/36/38/40/42/44/46CM ,SYRUS FEMUR NAIL - 9MM X 32/34/36/38/40/42/44/46CM ,SYRUS FEMUR NAIL - 10MM X 32/34/36/38/40/42/44/46CM ,SYRUS FEMUR NAIL - 11MM X 32/34/36/38/40/42/44/46CM ,SYRUS FEMUR NAIL - 12MM X 32/34/36/38/40/42/44/46CM ,TROCHANTERIC FEMORAL NAIL (T.F.N.) (130 degree) Dia 9/10/11/12/13 MM - 18cm ,TROCHANTERIC FEMORAL NAIL (T.F.N.) (135 degree) Dia 9/10/11/12/13 MM - 18cm ,PROXIMAL FEMORAL NAIL (P.F.N.) (130 degree) Dia 9/10/11/12/13 MM - 25cm ,PROXIMAL FEMORAL NAIL (P.F.N.) (135 degree) Dia 9/10/11/12/13 MM - 25cm ,PROXIMAL FEMORAL NAIL (P.F.N) (LEFT / RIGHT) (130 degree & 135 degree) - 9MM X 32/34/36/38/40/42/44/46/48/50CM ,PROXIMAL FEMORAL NAIL (P.F.N) (LEFT / RIGHT) (130 degree & 135 degree) - 10MM X 32/34/36/38/40/42/44/46/48/50CM ,PROXIMAL FEMORAL NAIL (P.F.N) (LEFT / RIGHT) (130 degree & 135 degree) - 11MM X 32/34/36/38/40/42/44/46/48/50CM , PROXIMAL FEMORAL NAIL (P.F.N) (LEFT / RIGHT) (130 degree & 135 degree) - 12MM X 32/34/36/38/40/42/44/46/48/50CM ,SUPRA CONDYLAR NAIL (I.M.S.C.) - 10MM X 15/20/25/30CM ,SUPRA CONDYLAR NAIL (I.M.S.C.) - 11MM X 15/20/25/30CM ,SUPRA CONDYLAR NAIL (I.M.S.C.) - 12MM X 15/20/25/30CM ,SUPRA CONDYLAR NAIL (I.M.S.C.) - 13MM X 15/20/25/30CM ,K-NAIL (KUNTSCHER NAIL) - 8MM X 26/28/30/32/34/36/38/40/42/44/46CM ,K-NAIL (KUNTSCHER NAIL) - 9MM X 26/28/30/32/34/36/38/40/42/44/46CM ,K-NAIL (KUNTSCHER NAIL) - 10MM X 26/28/30/32/34/36/38/40/42/44/46CM ,K-NAIL (KUNTSCHER NAIL) - 11MM X 26/28/30/32/34/36/38/40/42/44/46CM ,K-NAIL (KUNTSCHER NAIL) - 12MM X 26/28/30/32/34/36/38/40/42/44/46CM ,V-NAIL (KUNTSCHER NAIL) - 8MM X 26/28/30/32/34/36/38/40CM ,V-NAIL (KUNTSCHER NAIL) - 9MM X 26/28/30/32/34/36/38/40CM ,V-NAIL (KUNTSCHER NAIL) - 10MM X 26/28/30/32/34/36/38/40CM ,V-NAIL (KUNTSCHER NAIL) - 11MM X 26/28/30/32/34/36/38/40CM ,V-NAIL (KUNTSCHER NAIL) - 12MM X 26/28/30/32/34/36/38/40CM ,ENDERS NAIL - 2.0 MM X 14/15/16/17/18/19/20/21/22/23/24/25/26/27/28/29/30/31/32/33/34/35/36/37/38 /39/40/41/42/43/44/45 CM ,ENDERS NAIL - 2.5 MM X 14/15/16/17/18/19/20/21/22/23/24/25/26/27/28/29/30/31/32/33/34/35/36/37/38 /39/40/41/42/43/44/45 CM ,ENDERS NAIL - 3.0 MM X 14/15/16/17/18/19/20/21/22/23/24/25/26/27/28/29/30/31/32/33/34/35/36/37/38 /39/40/41/42/43/44/45 CM ,ENDERS NAIL - 3.5 MM X 14/15/16/17/18/19/20/21/22/23/24/25/26/27/28/29/30/31/32/33/34/35/36/37/38 /39/40/41/42/43/44/45 CM ,ENDERS NAIL - 4.0 MM X 14/15/16/17/18/19/20/21/22/23/24/25/26/27/28/29/30/31/32/33/34/35/36/37/38 /39/40/41/42/43/44/45 CM ,ENDERS NAIL - 4.5 MM X 14/15/16/17/18/19/20/21/22/23/24/25/26/27/28/29/30/31/32/33/34/35/36/37/38 /39/40/41/42/43/44/45 CM ,RUSH NAIL - 1.5 MM X 14/15/16/17/18/19/20/21/22/23/24/25/26/27/28/29/30/31/32/33/34/35/36/37/38 /39/40/41/42/43/44/45CM ,RUSH NAIL - 2.0 MM X 14/15/16/17/18/19/20/21/22/23/24/25/26/27/28/29/30/31/32/33/34/35/36/37/38 /39/40/41/42/43/44/45CM ,RUSH NAIL - 2.5 MM X 14/15/16/17/18/19/20/21/22/23/24/25/26/27/28/29/30/31/32/33/34/35/36/37/38 /39/40/41/42/43/44/45CM ,RUSH NAIL - 3.0 MM X 14/15/16/17/18/19/20/21/22/23/24/25/26/27/28/29/30/31/32/33/34/35/36/37/38 /39/40/41/42/43/44/45CM ,RUSH NAIL - 3.5 MM X

14/15/16/17/18/19/20/21/22/23/24/25/26/27/28/29/30/31/32/33/34/35/36/37/38
/39/40/41/42/43/44/45CM ,RUSH NAIL - 4.0 MM X
14/15/16/17/18/19/20/21/22/23/24/25/26/27/28/29/30/31/32/33/34/35/36/37/38
/39/40/41/42/43/44/45CM ,RUSH NAIL - 4.5 MM X
14/15/16/17/18/19/20/21/22/23/24/25/26/27/28/29/30/31/32/33/34/35/36/37/38
/39/40/41/42/43/44/45CM ,SQUARE NAIL - 2.0 MM X
14/15/16/17/18/19/20/21/22/23/24/25/26/27/28/29/30/31/32/33/34CM ,SQUARE
NAIL - 2.5 MM X
14/15/16/17/18/19/20/21/22/23/24/25/26/27/28/29/30/31/32/33/34CM ,SQUARE
NAIL - 3.0 MM X
14/15/16/17/18/19/20/21/22/23/24/25/26/27/28/29/30/31/32/33/34CM ,SQUARE
NAIL - 3.5 MM X
14/15/16/17/18/19/20/21/22/23/24/25/26/27/28/29/30/31/32/33/34CM ,SQUARE
NAIL - 4.0 MM X
14/15/16/17/18/19/20/21/22/23/24/25/26/27/28/29/30/31/32/33/34CM ,SQUARE
NAIL - 4.5 MM X
14/15/16/17/18/19/20/21/22/23/24/25/26/27/28/29/30/31/32/33/34CM ,ELASTIC
NAIL - 1.5MM X 30/44CM ,ELASTIC NAIL - 2.0MM X 30/44CM ,ELASTIC NAIL - 2.5MM X
30/44CM ,ELASTIC NAIL - 3.0MM X 30/44CM ,ELASTIC NAIL - 3.5MM X 30/44CM ,
ELASTIC NAIL - 4.0MM X 30/44CM ,ELASTIC NAIL - 4.5MM X 30/44CM ,
RECONSTRUCTION NAIL (LEFT / RIGHT) - 9MM X 32/34/36/38/40/42/44CM ,
RECONSTRUCTION NAIL (LEFT / RIGHT) - 10MM X 32/34/36/38/40/42/44CM ,
RECONSTRUCTION NAIL (LEFT / RIGHT) - 11MM X 32/34/36/38/40/42/44CM ,
RECONSTRUCTION NAIL (LEFT / RIGHT) - 12MM X 32/34/36/38/40/42/44CM ,
PROXIMAL FEMUR NAIL ANTIGRADE (125 degree/130 degree/135 degree) - 9MM X
18/20/22/24/26/28/30/32/34/36/38/40/42CM ,PROXIMAL FEMUR NAIL ANTIGRADE
(125 degree/130 degree/135 degree) - 10MM X
18/20/22/24/26/28/30/32/34/36/38/40/42CM ,PROXIMAL FEMUR NAIL ANTIGRADE
(125 degree/130 degree/135 degree) - 11MM X
18/20/22/24/26/28/30/32/34/36/38/40/42CM ,PROXIMAL FEMUR NAIL ANTIGRADE
(125 degree/130 degree/135 degree) - 12MM X
18/20/22/24/26/28/30/32/34/36/38/40/42CM

7	1. Generic Name :Pins and Wires (SS) 2. Brand Name :Orthrex/OYDIS 3. Notified Category :Orthopaedic Implants 4. Class of Medical Device :Class C 5. Shelf life :NIL 6. Sterile/Non-Sterile:Non-Sterilized 7. Intended Use :Indications for Pins and Wires include Fixation of Bone Fractures, Bone Reconstructions, as guide pins for insertion of other implants and Implanted through the skin for traction applied to the skeletal system. 8. Material of Construction: Stainless Steel 316L 9. Dimension: Various length and diameter of pins and wires are available 10. Model/Catalogue No./Name :KIRSCHNER WIRE (K Wire) (Double Ended) (2 INCH) - 0.8/1.0/1.5/1.8/2.0/2.5/3.0/3.5MM ,KIRSCHNER WIRE (K Wire) (Double Ended) (4 INCH) - 0.8/1.0/1.5/1.8/2.0/2.5/3.0/3.5MM ,KIRSCHNER WIRE (K Wire) (Double Ended) (6 INCH) - 0.8/1.0/1.5/1.8/2.0/2.5/3.0/3.5MM ,KIRSCHNER WIRE (K Wire) (Double Ended) (8 INCH) - 0.8/1.0/1.5/1.8/2.0/2.5/3.0/3.5MM ,KIRSCHNER WIRE (K Wire) (Double Ended) (10 INCH) - 0.8/1.0/1.5/1.8/2.0/2.5/3.0/3.5MM ,KIRSCHNER WIRE (K Wire) (Double Ended) (12 INCH) - 0.8/1.0/1.5/1.8/2.0/2.5/3.0/3.5MM ,KIRSCHNER WIRE (K Wire) (Double Ended) (14 INCH) - 0.8/1.0/1.5/1.8/2.0/2.5/3.0/3.5MM ,KIRSCHNER WIRE (K Wire) (Double Ended) (16 INCH) - 0.8/1.0/1.5/1.8/2.0/2.5/3.0/3.5MM ,KIRSCHNER WIRE THREADED (K Wire) (2 INCH) - 1.5/1.8/2.0/2.5/3.0/3.5MM ,KIRSCHNER WIRE THREADED (K Wire) (4 INCH) - 1.5/1.8/2.0/2.5/3.0/3.5MM ,KIRSCHNER WIRE THREADED (K Wire) (6 INCH) - 1.5/1.8/2.0/2.5/3.0/3.5MM ,KIRSCHNER WIRE THREADED (K Wire) (8 INCH) - 1.5/1.8/2.0/2.5/3.0/3.5MM ,KIRSCHNER WIRE THREADED (K Wire) (10 INCH) - 1.5/1.8/2.0/2.5/3.0/3.5MM ,KIRSCHNER WIRE THREADED (K Wire) (12 INCH) - 1.5/1.8/2.0/2.5/3.0/3.5MM , KIRSCHNER WIRE THREADED (K Wire) (14 INCH) - 1.5/1.8/2.0/2.5/3.0/3.5MM , KIRSCHNER WIRE THREADED (K Wire) (16 INCH) - 1.5/1.8/2.0/2.5/3.0/3.5MM , LAMBRINUDI WIRE (L Wire) (50MM) - 1.5/2.0/2.5/3.0/3.5/4.0/4.5MM ,LAMBRINUDI WIRE (L Wire) (100MM) - 1.5/2.0/2.5/3.0/3.5/4.0/4.5MM ,LAMBRINUDI WIRE (L Wire) (150MM) - 1.5/2.0/2.5/3.0/3.5/4.0/4.5MM ,LAMBRINUDI WIRE (L Wire) (200MM) - 1.5/2.0/2.5/3.0/3.5/4.0/4.5MM ,LAMBRINUDI WIRE (L Wire) (250MM) - 1.5/2.0/2.5/3.0/3.5/4.0/4.5MM ,LAMBRINUDI WIRE (L Wire) (300MM) - 1.5/2.0/2.5/3.0/3.5/4.0/4.5MM , LAMBRINUDI WIRE (L Wire) (350MM) - 1.5/2.0/2.5/3.0/3.5/4.0/4.5MM ,LAMBRINUDI WIRE (L Wire) (400MM) - 1.5/2.0/2.5/3.0/3.5/4.0/4.5MM ,LAMBRINUDI WIRE (L Wire) (450MM) - 1.5/2.0/2.5/3.0/3.5/4.0/4.5MM ,S.S. WIRE REEL - 16/18/20/22/24/26/28/30MM ,DROMOND WIRE - - ,CERCLAGE WIRE - 1.0/1.2/1.4/1.6/1.8/2.0/2.2MM ,STEINMAN PIN (4 INCH) - 1.5/2.0/2.5/3.0/3.5/4.0/4.5/5.0/5.5/6.0/6.5MM ,STEINMAN PIN (6 INCH) - 1.5/2.0/2.5/3.0/3.5/4.0/4.5/5.0/5.5/6.0/6.5MM , STEINMAN PIN (8 INCH) - 1.5/2.0/2.5/3.0/3.5/4.0/4.5/5.0/5.5/6.0/6.5MM ,STEINMAN PIN (10 INCH) - 1.5/2.0/2.5/3.0/3.5/4.0/4.5/5.0/5.5/6.0/6.5MM ,STEINMAN PIN (12 INCH) - 1.5/2.0/2.5/3.0/3.5/4.0/4.5/5.0/5.5/6.0/6.5MM ,DENHAM PIN (200MM) - 3.5/4.0/4.5/5.0MM ,DENHAM PIN (250MM) - 3.5/4.0/4.5/5.0MM ,DENHAM PIN (300MM) - 3.5/4.0/4.5/5.0MM ,GUIDE PIN (SIMPLE) (150MM) - 1.0/1.5/1.8/2.0/2.5MM ,GUIDE PIN (SIMPLE) (200MM) - 1.0/1.5/1.8/2.0/2.5MM ,GUIDE PIN (SIMPLE) (250MM) - 1.0/1.5/1.8/2.0/2.5MM ,GUIDE PIN (SIMPLE) (300MM) - 1.0/1.5/1.8/2.0/2.5MM ,GUIDE PIN (SIMPLE) (350MM) - 1.0/1.5/1.8/2.0/2.5MM ,GUIDE PIN (SIMPLE) (400MM) - 1.0/1.5/1.8/2.0/2.5MM ,GUIDE PIN (THREADED) (150MM) - 1.0/1.5/1.8/2.0/2.5MM ,GUIDE PIN (THREADED) (200MM) - 1.0/1.5/1.8/2.0/2.5MM ,GUIDE PIN (THREADED) (250MM) - 1.0/1.5/1.8/2.0/2.5MM ,GUIDE PIN (THREADED) (300MM) - 1.0/1.5/1.8/2.0/2.5MM ,GUIDE PIN (THREADED) (350MM) - 1.0/1.5/1.8/2.0/2.5MM ,GUIDE PIN (THREADED) (400MM) - 1.0/1.5/1.8/2.0/2.5MM ,GUIDE PIN LONG (SIMPLE) (1000MM) - 1.8/2.0/2.5/3.0MM ,GUIDE PIN LONG (OLIVE END) (1000MM) - 1.8/2.0/2.5/3.0MM
---	---

8	1. Generic Name :Pins and Wires (Titanium) 2. Brand Name :Orthrex/OYDIS 3. Notified Category :Orthopaedic Implants 4. Class of Medical Device :Class C 5. Shelf life :NIL 6. Sterile/Non-Sterile:Non-Sterilized 7. Intended Use :Indications for Pins and Wires include Fixation of Bone Fractures, Bone Reconstructions, as guide pins for insertion of other implants and Implanted through the skin for traction applied to the skeletal system. 8. Material of Construction: Titanium 9. Dimension: Various length and diameter of pins and wires are available 10. Model/Catalogue No./Name :KIRSCHNER WIRE (K Wire) (Double Ended) (2 INCH) - 0.8/1.0/1.5/1.8/2.0/2.5/3.0/3.5MM ,KIRSCHNER WIRE (K Wire) (Double Ended) (4 INCH) - 0.8/1.0/1.5/1.8/2.0/2.5/3.0/3.5MM ,KIRSCHNER WIRE (K Wire) (Double Ended) (6 INCH) - 0.8/1.0/1.5/1.8/2.0/2.5/3.0/3.5MM ,KIRSCHNER WIRE (K Wire) (Double Ended) (8 INCH) - 0.8/1.0/1.5/1.8/2.0/2.5/3.0/3.5MM ,KIRSCHNER WIRE (K Wire) (Double Ended) (10 INCH) - 0.8/1.0/1.5/1.8/2.0/2.5/3.0/3.5MM ,KIRSCHNER WIRE (K Wire) (Double Ended) (12 INCH) - 0.8/1.0/1.5/1.8/2.0/2.5/3.0/3.5MM ,KIRSCHNER WIRE (K Wire) (Double Ended) (14 INCH) - 0.8/1.0/1.5/1.8/2.0/2.5/3.0/3.5MM ,KIRSCHNER WIRE (K Wire) (Double Ended) (16 INCH) - 0.8/1.0/1.5/1.8/2.0/2.5/3.0/3.5MM ,KIRSCHNER WIRE THREADED (K Wire) (2 INCH) - 1.5/1.8/2.0/2.5/3.0/3.5MM ,KIRSCHNER WIRE THREADED (K Wire) (4 INCH) - 1.5/1.8/2.0/2.5/3.0/3.5MM ,KIRSCHNER WIRE THREADED (K Wire) (6 INCH) - 1.5/1.8/2.0/2.5/3.0/3.5MM ,KIRSCHNER WIRE THREADED (K Wire) (8 INCH) - 1.5/1.8/2.0/2.5/3.0/3.5MM ,KIRSCHNER WIRE THREADED (K Wire) (10 INCH) - 1.5/1.8/2.0/2.5/3.0/3.5MM ,KIRSCHNER WIRE THREADED (K Wire) (12 INCH) - 1.5/1.8/2.0/2.5/3.0/3.5MM , KIRSCHNER WIRE THREADED (K Wire) (14 INCH) - 1.5/1.8/2.0/2.5/3.0/3.5MM , KIRSCHNER WIRE THREADED (K Wire) (16 INCH) - 1.5/1.8/2.0/2.5/3.0/3.5MM , LAMBRINUDI WIRE (L Wire) (50MM) - 1.5/2.0/2.5/3.0/3.5/4.0/4.5MM ,LAMBRINUDI WIRE (L Wire) (100MM) - 1.5/2.0/2.5/3.0/3.5/4.0/4.5MM ,LAMBRINUDI WIRE (L Wire) (150MM) - 1.5/2.0/2.5/3.0/3.5/4.0/4.5MM ,LAMBRINUDI WIRE (L Wire) (200MM) - 1.5/2.0/2.5/3.0/3.5/4.0/4.5MM ,LAMBRINUDI WIRE (L Wire) (250MM) - 1.5/2.0/2.5/3.0/3.5/4.0/4.5MM ,LAMBRINUDI WIRE (L Wire) (300MM) - 1.5/2.0/2.5/3.0/3.5/4.0/4.5MM , LAMBRINUDI WIRE (L Wire) (350MM) - 1.5/2.0/2.5/3.0/3.5/4.0/4.5MM ,LAMBRINUDI WIRE (L Wire) (400MM) - 1.5/2.0/2.5/3.0/3.5/4.0/4.5MM ,LAMBRINUDI WIRE (L Wire) (450MM) - 1.5/2.0/2.5/3.0/3.5/4.0/4.5MM
---	---

9	1. Generic Name :Spine Implant (Titanium) 2. Brand Name :Orthrex/OYDIS 3. Notified Category :Orthopaedic Implants 4. Class of Medical Device :Class C 5. Shelf life :NIL 6. Sterile/Non-Sterile:Non-Sterilized 7. Intended Use :Spine Implant is intended to be used for the fixation of Spine Deformities or Fractures. 8. Material of Construction: Titanium 9. Dimension: Various length and diameter of spine implants are available 10. Model/Catalogue No./Name :5.5MM CONNECTING ROD - 50/60/70/80/90/100/110/120/150/200/250/300 MM ,6.0MM CONNECTING ROD - 50/60/70/80/90/100/110/120/150/200/250/300 MM ,TRANSVERSE CONNECTOR 6.0 MM - 6.0MM ,STAPLE 6.0MM - 6.0MM ,3.0MM CONNECTING ROD 50MM - 50/60/70/80 MM ,4.5MM MONOAXIAL SCREW SINGLE LOCK 25/30/35/40/45MM - 25/30/35/40/45 MM ,5.5MM MONOAXIAL SCREW SINGLE LOCK 30/35/40/45/50/55MM - 30/35/40/45/50/55 MM ,6.5MM MONOAXIAL SCREW SINGLE LOCK 30/35/40/45/50/55MM - 30/35/40/45/50/55 MM ,4.5MM POLYAXIAL SCREW SINGLE LOCK 25/30/35/40/45MM - 25/30/35/40/45 MM ,5.5MM POLYAXIAL SCREW SINGLE LOCK 30/35/40/45/50/55MM - 30/35/40/45/50/55 MM ,6.5MM POLYAXIAL SCREW SINGLE LOCK 30/35/40/45/50/55MM - 30/35/40/45/50/55 MM ,4.5MM MONOAXIAL REDUCTION SCREW SINGLE LOCK 25/30/35/40/45MM - 25/30/35/40/45 MM ,5.5MM MONOAXIAL REDUCTION SCREW SINGLE LOCK 30/35/40/45/50/55MM - 30/35/40/45/50/55 MM ,6.5MM MONOAXIAL REDUCTION SCREW SINGLE LOCK 30/35/40/45/50/55MM - 30/35/40/45/50/55 MM ,4.5MM POLYAXIAL REDUCTION SCREW SINGLE LOCK 25/30/35/40/45MM - 25/30/35/40/45 MM ,5.5MM POLYAXIAL REDUCTION SCREW SINGLE LOCK 30/35/40/45/50/55MM - 30/35/40/45/50/55 MM , 6.5MM POLYAXIAL REDUCTION SCREW SINGLE LOCK 30/35/40/45/50/55MM - 30/35/40/45/50/55 MM ,ANTERIOR CERVICAL PLATE (Z-SHAPE) 22.5mm - 22.5 /25/27.5/30/32.5/35/ 37.5/40/42.5/45/47.5/50/52.5/55/ 57.5/60/62.5/65/67. 5/70/72.5/75/ 77.5/80/82.5/85/87.5/90 MM ,4.0MM LOCK SCREW FOR CERVICAL SPINE PLATE DIA. 10/12/14/16/18/20/22/24/26MM - 10/12/14/16/18/20/22/24/26 MM ,14MM DIAMETER ECO CAGE (ROUND HOLE) 15/20/25/30/35/40/45/50/55/60MM - 15/20/25/30/35/40/45/50/55/60 MM ,16MM DIAMETER ECO CAGE (ROUND HOLE) 15/20/25/30/35/40/45/50/55/60MM - 15/20/25/30/35/40/45/50/55/60 MM ,18MM DIAMETER ECO CAGE (ROUND HOLE) 15/20/25/30/35/40/45/50/55/60MM - 15/20/25/30/35/40/45/50/55/60 MM ,14MM DIAMETER MESH CAGE 15/20/25/30/35/40/45/50/55/60MM - 15/20/25/30/35/40/45/50/55/60 MM ,16MM DIAMETER MESH CAGE 15/20/25/30/35/40/45/50/55/60MM - 15/20/25/30/35/40/45/50/55/60 MM ,18MM DIAMETER MESH CAGE 15/20/25/30/35/40/45/50/55/60MM - 15/20/25/30/35/40/45/50/55/60 MM ,12MM DIAMETER EXPANDABLE CAGE - 20/25/30/35/40/45/50/55/60/65/70/75 MM ,14MM DIAMETER EXPANDABLE CAGE - 20/25/30/35/40/45/50/55/60/65/70/75 MM ,16MM DIAMETER EXPANDABLE CAGE - 20/25/30/35/40/45/50/55/60/65/70/75 MM ,18MM DIAMETER EXPANDABLE CAGE - 20/25/30/35/40/45/50/55/60/65/70/75 MM ,8MM DIAMETER TLIF CAGE 25/30MM - 8MM X 25/30MM ,9MM DIAMETER TLIF CAGE 25/30MM - 9MM X 25/30MM ,10MM DIAMETER TLIF CAGE 25/30MM - 10MM X 25/30MM ,11MM DIAMETER TLIF CAGE 25/30MM - 11MM X 25/30MM ,12MM DIAMETER TLIF CAGE 25/30MM - 12MM X 25/30MM ,7MM DIAMETER PLIF CAGE 20/25MM - 7MM X 20/25MM , 8MM DIAMETER PLIF CAGE 20/25MM - 8MM X 20/25MM ,9MM DIAMETER PLIF CAGE 20/25MM - 9MM X 20/25MM ,10MM DIAMETER PLIF CAGE 20/25MM - 10MM X 20/25MM ,11MM DIAMETER PLIF CAGE 20/25MM - 11MM X 20/25MM ,6MM DIAMETER CERVICAL
---	--

	SQUARE CAGE 12X12 - 6MM X 12 X 12 ,7MM DIAMETER CERVICAL SQUARE CAGE 12X12 - 7MM X 12 X 12 ,8MM DIAMETER CERVICAL SQUARE CAGE 12X12 - 8MM X 12 X 12 ,9MM DIAMETER CERVICAL SQUARE CAGE 12X12 - 9MM X 12 X 12 ,10MM DIAMETER CERVICAL SQUARE CAGE 12X12 - 10MM X 12 X 12 ,11MM DIAMETER CERVICAL SQUARE CAGE 12X12 - 11MM X 12 X 12 ,12MM DIAMETER CERVICAL SQUARE CAGE 12X12 - 12MM X 12 X 12 ,4 degree KIDNEY CAGE 7/8/9/10/11MM - 7/8/9/10/11 MM ,8 degree KIDNEY CAGE 7/8/9/10/11MM - 7/8/9/10/11 MM ,11 degree KIDNEY CAGE 7/8/9/10/11MM - 7/8/9/10/11 MM ,4.5MM MONO AXIAL SCREW 25/30/35/40/45/50 MM - 25/30/35/40/45/50 MM , 4.5MM POLY AXIAL SCREW 25/30/35/40/45/50 MM - 25/30/35/40/45/50 MM ,6.5MM POLY AXIAL SCREW 25/30/35/40/45/50/55MM - 25/30/35/40/45/50/55 MM ,7.5MM POLY AXIAL SCREW 40/45/50/55/60/65/70/75/80 MM - 40/45/50/55/60/65/70/75/80 MM ,4.5MM MONO AXIAL SCREW (HA COATED) 25/30/35/40/45/50 MM - 25/30/35/40/45/50 MM ,5.5MM MONO AXIAL SCREW (HA COATED) 25/30/35/40/45/50/55 MM - 25/30/35/40/45/50/55 MM ,6.5MM MONO AXIAL SCREW (HA COATED) 25/30/35/40/45/50/55 MM - 25/30/35/40/45/50/55 MM ,4.5MM POLY AXIAL SCREW (HA COATED) 25/30/35/40/45/50 MM - 25/30/35/40/45/50 MM ,5.5MM POLY AXIAL SCREW (HA COATED) 25/30/35/40/45/50/55 MM - 25/30/35/40/45/50/55 MM ,6.5MM POLY AXIAL SCREW (HA COATED) 25/30/35/40/45/50/55 MM - 25/30/35/40/45/50/55 MM ,7.5 MM POLY AXIAL SCREW (HA COATED) 40/45/50/55/60/65/70/75/80 MM - 40/45/50/55/60/65/70/75/80 MM ,4.5MM REDUCTION MONO AXIAL SCREW 25/30/35/40/45/50 MM - 25/30/35/40/45/50 MM ,5.5MM REDUCTION MONO AXIAL SCREW 25/30/35/40/45/50/55 MM - 25/30/35/40/45/50/55 MM ,6.5MM REDUCTION MONO AXIAL SCREW 25/30/35/40/45/50/55 MM - 25/30/35/40/45/50/55 MM ,4.5 MM REDUCTION POLY AXIAL SCREW 25/30/35/40/45/50 MM - 25/30/35/40/45/50 MM ,5.5MM REDUCTION POLY AXIAL SCREW 25/30/35/40/45/50/55 MM - 25/30/35/40/45/50/55 MM ,6.5MM REDUCTION POLY AXIAL SCREW 25/30/35/40/45/50/55 MM - 25/30/35/40/45/50/55 MM ,4.5MM REDUCTION MONO AXIAL SCREW (HA COATED) 25/30/35/40/45/50 MM - 25/30/35/40/45/50 MM ,5.5 MM REDUCTION MONO AXIAL SCREW (HA COATED) 25/30/35/40/45/50/55 MM - 25/30/35/40/45/50/55 MM ,6.5MM REDUCTION MONO AXIAL SCREW (HA COATED) 25/30/35/40/45/50/55 MM - 25/30/35/40/45/50/55 MM ,4.5MM REDUCTION POLY AXIAL SCREW (HA COATED) 25/30/35/40/45/50 MM - 25/30/35/40/45/50 MM ,5.5 MM REDUCTION POLY AXIAL SCREW (HA COATED) 25/30/35/40/45/50/55 MM - 25/30/35/40/45/50/55 MM ,6.5MM REDUCTION POLY AXIAL SCREW (HA COATED) 25/30/35/40/45/50/55 MM - 25/30/35/40/45/50/55 MM ,7.5MM REDUCTION POLY AXIAL SCREW (HA COATED) 40/45/50/55/60/65/70/75/80 MM - 40/45/50/55/60/65/70/75/80 MM ,5.5MM REDUCTION MONO AXIAL FENESTRATED EXTENDED SCREW 25/30/35/40/45/50/55 MM - 25/30/35/40/45/50/55 MM ,6.5MM REDUCTION MONO AXIAL FENESTRATED EXTENDED SCREW 25/30/35/40/45/50/55 MM - 25/30/35/40/45/50/55 MM ,5.5MM REDUCTION POLY AXIAL FENESTRATED EXTENDED SCREW 25/30/35/40/45/50/55 MM - 25/30/35/40/45/50/55 MM ,6.5MM REDUCTION POLY AXIAL FENESTRATED EXTENDED SCREW 25/30/35/40/45/50/55 MM - 25/30/35/40/45/50/55 MM ,5.5MM MIS POLY AXIAL SCREW 25/30/35/40/45/50/55 MM - 25/30/35/40/45/50/55 MM ,6.5MM MIS POLY AXIAL SCREW 25/30/35/40/45/50/55 MM - 25/30/35/40/45/50/55 MM ,5.5MM MIS ROD CURVED 45/50/55/60/65/70/75/80/85/90/95/100 MM - 45/50/55/60/65/70/75/80/85/90/95/100 MM ,CROSSLINK CONNECTOR SPINE SMALL/MEDIUM/LARGE/EXTRA-LARGE - SMALL/MEDIUM/LARGE/EXTRA-LARGE , LATERAL OFFSET CONNECTOR 20MM - 20/25/30/35 MM
--	--

10	1. Generic Name :Arthroscopy Implant (Titanium) 2. Brand Name :Orthrex/OYDIS 3. Notified Category :Orthopaedic Implants 4. Class of Medical Device :Class C 5. Shelf life :NIL 6. Sterile/Non-Sterile:Non-Sterilized 7. Intended Use :Arthroscopy Implant is intended to be used for the fixation of soft tissue fixation or anchorage. 8. Material of Construction: Titanium 9. Dimension: Various length and diameter of arthroscopy implants are available 10. Model/Catalogue No./Name :ANCHOR SUTURE SCREW 3.0MM - 10/12MM ,ANCHOR SUTURE SCREW 5.0MM - 10/12MM ,SUTURE DISC DOUBLE HOLE - 2 HOLE ,SUTURE DISC SLOTTED - SLOTTED ,ENDO BUTTON - 4 HOLE ,MULTI SPIKED WASHER FOR LIGAMENT 4.0MM - 4/5 SPIKED ,MULTI SPIKED WASHER FOR LIGAMENT 6.5MM - 7/9 SPIKED , HERBERT SCREW 3.5MM - 12/14/16/18/20/22/24/26/28/30/32/34/36/38/40/45/50/55/60/65/70/75 MM , HERBERT SCREW 4.5MM - 12/14/16/18/20/22/24/26/28/30/32/34/36/38/40/45/50/55/60/65/70/75 MM ,A.C. L. SCREW (ANTERIOR CRUCIATE LIGAMENT SCREW) 6MM - 15/20/25/30/35/40 MM ,A. C.L. SCREW (ANTERIOR CRUCIATE LIGAMENT SCREW) 7MM - 15/20/25/30/35/40 MM , A.C.L. SCREW (ANTERIOR CRUCIATE LIGAMENT SCREW) 8MM - 15/20/25/30/35/40 MM ,A.C.L. SCREW (ANTERIOR CRUCIATE LIGAMENT SCREW) 9MM - 15/20/25/30/35/40 MM ,A.C.L. SCREW (ANTERIOR CRUCIATE LIGAMENT SCREW) 10MM - 15/20/25/30/35/40 MM ,A.C.L. SCREW (ANTERIOR CRUCIATE LIGAMENT SCREW) 11MM - 15/20/25/30/35/40 MM ,A.C.L. SCREW (ANTERIOR CRUCIATE LIGAMENT SCREW) 12MM - 15/20/25/30/35/40 MM ,SUTURE POST 6.5MM - 20/25/30/35/40 MM , ENDOBUTTON WITH LOOP - 15/20/25/30 MM ,ENDOBUTTON WITH ADJUSTABLE LOOP - 15/20/25/30 MM ,BIO A.C.L. SCREW -PLA 7MM (POLYLACTIC ACID) - 25/30/35MM , BIO A.C.L. SCREW -PLA 8MM (POLYLACTIC ACID) - 25/30/35MM ,BIO A.C.L. SCREW - PLA 9MM (POLYLACTIC ACID) - 25/30/35MM ,BIO A.C.L. SCREW -PLA 10MM (POLYLACTIC ACID) - 25/30/35MM ,BIO A.C.L. SCREW -PLA 11MM (POLYLACTIC ACID) - 25/30/35MM ,BIO A.C.L. SCREW - B-TCP 7MM (B-TRICALCIUM PHOSPHATE) - 25/30/35MM ,BIO A.C.L. SCREW - B-TCP 8MM (B-TRICALCIUM PHOSPHATE) - 25/30/35MM ,BIO A.C.L. SCREW - B-TCP 9MM (B-TRICALCIUM PHOSPHATE) - 25/30/35MM ,BIO A.C.L. SCREW - B-TCP 10MM (B-TRICALCIUM PHOSPHATE) - 25/30/35MM ,BIO A.C.L. SCREW - B-TCP 11MM (B-TRICALCIUM PHOSPHATE) - 25/30/35MM ,ANCHOR SUTURE SCREW PRE LOADED - 3/5MM ,SUTURE POST 6.5MM - 25/30/35MM ,SPIKED LIGAMENT STAPLE - 6/8/10 MM ,PEEK SCREW - 25/30/35/40MM ,ENDOBUTTON CL - 25/30/35/40MM ,20/25/30/35/40 MM 6.5MM TIBIAL POST FIXATION SCREW - 20/25/30/35/40 MM ,2.8MM SUTURE ANCHOR LOADED WITH ONE PC REFIBER - 2.8mm ,2.8MM SUTURE ANCHOR LOADED WITH ONE PC REFIBER WITH NEEDLE - 2.8mm ,3.5MM SUTURE ANCHOR LOADED WITH ONE PC REFIBER - 3.5mm ,3.5 MM SUTURE ANCHOR LOADED WITH ONE PC REFIBER WITH NEEDLE - 3.5mm ,2.4MM SUTURE ANCHOR LOADED WITH ONE PC REFIBER - 2.4mm ,2.4MM SUTURE ANCHOR LOADED WITH ONE PC REFIBER WITH NEEDLE - 2.4mm ,2.8MM DUAL THREAD SUTURE ANCHOR LOADED WITH ONE PC REFIBER - 2.8mm ,2.8MM DUAL THREAD SUTURE ANCHOR LOADED WITH ONE PC REFIBER WITH NEEDLE - 2.8mm ,3.5MM DUAL THREAD SUTURE ANCHOR LOADED WITH ONE PC REFIBER - 3.5mm ,3.5MM DUAL THREAD SUTURE ANCHOR LOADED WITH ONE PC REFIBER WITH NEEDLE - 3.5mm ,6.5MM LOADED WITH TWO PC REFIBER hastag2 - 6.5MM ,6.5MM LOADED WITH TWO PC REFIBER hastag2 WITH NEEDLE - 6.5MM ,5.0MM SUTURE ANCHOR LOADED WITH TWO PC REFIBER hastag2 - 5.0MM ,5.0MM SUTURE ANCHOR LOADED WITH THREE PC
----	--

	REFIBER hastag2 - 5.0MM ,5.0MM SUTURE ANCHOR LOADED WITH TWO PC REFIBER hastag2 WITH NEEDLE - 5.0MM ,6.5MM SUTURE ANCHOR LOADED WITH TWO PC REFIBER hastag2 - 6.5 MM ,6.5MM SUTURE ANCHOR LOADED WITH THREE PC REFIBER hastag2 - 6.5 MM ,6.5MM SUTURE ANCHOR LOADED WITH TWO PC REFIBER hastag2 WITH NEEDLE - 6.5 MM ,GREEN DISPOSABLE CANNULA TROCAR POINT - 8.25MM X 70MM ,RED DISPOSABLE CANNULA TROCAR POINT - 8.25MM X 90MM
1 1	1. Generic Name :Hip Prosthesis (SS) 2. Brand Name :Orthrex/OYDIS 3. Notified Category :Orthopaedic Implants 4. Class of Medical Device :Class D 5. Shelf life :NIL 6. Sterile/Non-Sterile:Non-Sterilized 7. Intended Use :Hip Prosthesis is used to replace the damaged or fractured part of the femoral head. Hip prosthesis is anatomically designed to match the shape of the femoral head. 8. Material of Construction: Stainless Steel 316L 9. Dimension: Various length and diameter of hip prosthesis are available 10. Model/Catalogue No./Name :AUSTIN MOORE PROSTHESIS - 37/38/39/40/41/42/43/44/45/46/47/48/49/50/51/52/53/54 MM ,BIPOLAR HIP PROSTHESIS (SMALL STEM) (FENESTED) (NON-CEMENTED) - 37/38/39/40/41/42/43/44/45/46/47/48/49/50/51/52/53/54 MM ,BIPOLAR HIP PROSTHESIS (SMALL STEM) (NON-FENESTED) (NON-CEMENTED) - 37/38/39/40/41/42/43/44/45/46/47/48/49/50/51/52/53/54 MM ,BIPOLAR HIP PROSTHESIS (LONG STEM) (FENESTED) (NON-CEMENTED) - 37/38/39/40/41/42/43/44/45/46/47/48/49/50/51/52/53/54 MM ,BIPOLAR HIP PROSTHESIS (LONG STEM) (NON-FENESTED) (NON-CEMENTED) - 37/38/39/40/41/42/43/44/45/46/47/48/49/50/51/52/53/54 MM ,MODULAR BIPOLAR HIP PROSTHESIS (37MM TO 54MM) (NON-CEMENTED) - SMALL/MRDIUM/LARGE

12	1. Generic Name :External Fixator (SS) 2. Brand Name :Orthrex/OYDIS 3. Notified Category :Orthopaedic Implants 4. Class of Medical Device :Class C 5. Shelf life :NIL 6. Sterile/Non-Sterile:Non-Sterilized 7. Intended Use :External Fixator is intended for temporary fixation and intra- and postoperative treatment of open and closed fractures and elective orthopedic interventions. 8. Material of Construction: Stainless Steel 316L 9. Dimension: NA 10. Model/Catalogue No./Name :AESCULAP CLAMP - 2.5MM X 4.0MM/4.0MM X 4.0MM/4.5MM X 8.0MM/8.0MM X 8.0MM ,A.O. TYPE CLAMP - 2.5MM X 4.0MM/3.5MM X 4.0MM/4.5MM X 11MM/11MM X 11MM ,DOUBLE PIN CLAMP - 4.5MM X 11MM ,OPEN CLAMP - 4.5MM X 11MM ,METAPHYTICAL CLAMP - - ,UNIVERSAL JOINT FOR TWO ROD - - ,BALL & SOKET CLAMP - - ,CONNECTING ROD - 2.0MM X 4/6/8/10/12" ,CONNECTING ROD - 2.5MM X 4/6/8/10/12" ,CONNECTING ROD - 3.0MM X 4/6/8/10/12" ,CONNECTING ROD - 3.5MM X 4/6/8/10/12" ,CONNECTING ROD - 4.0MM X 4/6/8/10/12" ,CONNECTING ROD - 8.0MM X 4/6/8/10/12" ,CONNECTING ROD - 11.0MM X 4/6/8/10/12" ,DISTRACTOR UNIT - 8/10/12" ,BALL & SOKET TPANNER - - ,T-HANDLE SPANNER - 12 MM ,ALPHA CLAMP (LINK JOINT) - 6MM X 10MM ,BETA CLAMP (LINK JOINT) - 8MM X 12MM ,BETA CLAMP (LINK JOINT) - 10MM X 15MM ,SINGLE PIN DISTRACTOR (M4) (C.T.E.V.) - 75/100/150 MM , DOUBLE PIN DISTRACTOR (M4) (C.T.E.V.) - 75/100/150 MM ,DOUBLE PIN DISTRACTOR (M6) (C.T.E.V.) - 150/200/250/300/350 MM ,STEAIGHT ROD - KNURLED - 2.0MM X 75/100MM ,STEAIGHT ROD - KNURLED - 2.5MM X 75/100/150/200MM ,STEAIGHT ROD - KNURLED - 3.0MM X 100/150/200/250/300MM ,STEAIGHT ROD - KNURLED - 4.0MM X 100/150/200/250/300/350MM ,BENT ROD- KNURLED (SMALL L ROD) (SMALL) - 2.0/3.0/4.0MM ,BENT ROD- KNURLED (LARGE L ROD) (SMALL) - 2.0/3.0/4.0MM ,BENT ROD- KNURLED (Z ROD) (SMALL) - 2.0/3.0/4.0MM ,ALLEN KEY - 2.0/2.5/3.0/4.0MM ,HALF RING - 100/120/140/150/160/180/200/220MM ,5/8 RING - 120/140/160/180/200MM , FULL RING - 120/140/160/180/200MM ,ITALIAN FEMORAL ARCH - SMALL/LARGE , ARCH - 13/25/35 HOLE ,THREADED ROD (Dia. 6.0mm) - 40/60/80/100/150/175/200/225/250/300/350/400 MM ,TRLESCOPIC ROD - 150/200 MM ,HINGES - MALE ,HINGES - FEMALE ,HINGES - 90° ,SIMPLE WASHER - - , CONNNICAL WASHER - - ,CONNNICAL COUPLE WASHER - - ,POST - MALE - 1/2/3/4 HOLE , POST - FEMALE - 1/2/3/4 HOLE ,OBLIQUE SUPPORT - - ,CURVED PLATE - - , CONNECTING PLATE - 1+2/1+3/1+4/1+5/1+6/1+7/1+8/1+9/1+10 HOLE ,TWISTED PLATE - 1+2/1+3/1+4/1+5/1+6 HOLE ,CONNECTING BOLT - 10/15/20 MM ,WIRE FIXATION BOLT (HEX HEAD) (SLOTTED) - SLOTTED/CENTRIC ,WIRE FIXATION BOLT (TWO PART HEAD) (SLOTTED) - SLOTTED/CENTRIC ,NUT - - ,MULTY PIN FIXATION BOLT - - ,SINGLE PIN FIXATION BOLT - - ,WRENCH OF CUBE - 1/2/3/4/5 HOLE ,NYLON NUT - - ,UNIVERSAL JOINT - - ,SQUARE NUT - - ,THREADED SOCKET - 25/30/35/40/45/50/55/60/65/70/75 MM ,OLIVE WIRE (BAYONET POINT) - 1.8MM X 16" ,OLIVE WIRE (TROCER POINT) - 1.8MM X 16" ,TENSION K-WIRE (BAYONET POINT) - 1.8MM X 16" ,TENSION K-WIRE (TROCER POINT) - 1.8MM X 16" ,WIRE TENSIONER (MANNUAL) - - ,WIRE TENSIONER (DYNAMETRIC) - - ,ORDINARY FIX SPANNER - 10MM X 11MM ,RING SPANNER - 10MM X 11MM ,T-HANDLE SPANNER - 10/11/12 MM ,U STAPLE - - , COVENTRY STAPLE - -
----	--

13	1. Generic Name :Arthroscopy Implant (Titanium-Sterile) 2. Brand Name :Orthrex/OYDIS 3. Notified Category :Orthopaedic Implants 4. Class of Medical Device :Class C 5. Shelf life :5 Years 6. Sterile/Non-Sterile: Sterilized 7. Intended Use :Arthroscopy Implant is intended to be used for the fixation of soft tissue fixation or anchorage. 8. Material of Construction: Titanium 9. Dimension: Various length and diameter of arthroscopy implants are available 10. Model/Catalogue No./Name :ANCHOR SUTURE SCREW 3.0MM - 10/12MM ,ANCHOR SUTURE SCREW 5.0MM - 10/12MM ,SUTURE DISC DOUBLE HOLE - 2 HOLE ,SUTURE DISC SLOTTED - SLOTTED ,ENDO BUTTON - 4 HOLE ,MULTI SPIKED WASHER FOR LIGAMENT 4.0MM - 4/5 SPIKED ,MULTI SPIKED WASHER FOR LIGAMENT 6.5MM - 7/9 SPIKED , HERBERT SCREW 3.5MM - 12/14/16/18/20/22/24/26/28/30/32/34/36/38/40/45/50/55/60/65/70/75 MM , HERBERT SCREW 4.5MM - 12/14/16/18/20/22/24/26/28/30/32/34/36/38/40/45/50/55/60/65/70/75 MM ,A.C. L. SCREW (ANTERIOR CRUCIATE LIGAMENT SCREW) 6MM - 15/20/25/30/35/40 MM ,A. C.L. SCREW (ANTERIOR CRUCIATE LIGAMENT SCREW) 7MM - 15/20/25/30/35/40 MM , A.C.L. SCREW (ANTERIOR CRUCIATE LIGAMENT SCREW) 8MM - 15/20/25/30/35/40 MM ,A.C.L. SCREW (ANTERIOR CRUCIATE LIGAMENT SCREW) 9MM - 15/20/25/30/35/40 MM ,A.C.L. SCREW (ANTERIOR CRUCIATE LIGAMENT SCREW) 10MM - 15/20/25/30/35/40 MM ,A.C.L. SCREW (ANTERIOR CRUCIATE LIGAMENT SCREW) 11MM - 15/20/25/30/35/40 MM ,A.C.L. SCREW (ANTERIOR CRUCIATE LIGAMENT SCREW) 12MM - 15/20/25/30/35/40 MM ,SUTURE POST 6.5MM - 20/25/30/35/40 MM , ENDOBUTTON WITH LOOP - 15/20/25/30 MM ,ENDOBUTTON WITH ADJUSTABLE LOOP - 15/20/25/30 MM ,BIO A.C.L. SCREW -PLA 7MM (POLYLACTIC ACID) - 25/30/35MM , BIO A.C.L. SCREW -PLA 8MM (POLYLACTIC ACID) - 25/30/35MM ,BIO A.C.L. SCREW - PLA 9MM (POLYLACTIC ACID) - 25/30/35MM ,BIO A.C.L. SCREW -PLA 10MM (POLYLACTIC ACID) - 25/30/35MM ,BIO A.C.L. SCREW -PLA 11MM (POLYLACTIC ACID) - 25/30/35MM ,BIO A.C.L. SCREW - B-TCP 7MM (B-TRICALCIUM PHOSPHATE) - 25/30/35MM ,BIO A.C.L. SCREW - B-TCP 8MM (B-TRICALCIUM PHOSPHATE) - 25/30/35MM ,BIO A.C.L. SCREW - B-TCP 9MM (B-TRICALCIUM PHOSPHATE) - 25/30/35MM ,BIO A.C.L. SCREW - B-TCP 10MM (B-TRICALCIUM PHOSPHATE) - 25/30/35MM ,BIO A.C.L. SCREW - B-TCP 11MM (B-TRICALCIUM PHOSPHATE) - 25/30/35MM ,ANCHOR SUTURE SCREW PRE LOADED - 3/5MM ,SUTURE POST 6.5MM - 25/30/35MM ,SPIKED LIGAMENT STAPLE - 6/8/10 MM ,PEEK SCREW - 25/30/35/40MM ,ENDOBUTTON CL - 25/30/35/40MM
----	--

14	1. Generic Name :Hip Prosthesis (SS-Sterile) 2. Brand Name :Orthrex/OYDIS 3. Notified Category :Orthopaedic Implants 4. Class of Medical Device :Class D 5. Shelf life :5 Years 6. Sterile/Non-Sterile: Sterilized 7. Intended Use :Hip Prosthesis is used to replace the damaged or fractured part of the femoral head. Hip prosthesis is anatomically designed to match the shape of the femoral head. 8. Material of Construction: Stainless Steel 316L 9. Dimension: Various length and diameter of hip prosthesis are available 10. Model/Catalogue No./Name :AUSTIN MOORE PROSTHESIS - 37/38/39/40/41/42/43/44/45/46/47/48/49/50/51/52/53/54 MM ,BIPOLAR HIP PROSTHESIS (SMALL STEM) (FENESTED) (NON-CEMENTED) - 37/38/39/40/41/42/43/44/45/46/47/48/49/50/51/52/53/54 MM ,BIPOLAR HIP PROSTHESIS (SMALL STEM) (NON-FENESTED) (NON-CEMENTED) - 37/38/39/40/41/42/43/44/45/46/47/48/49/50/51/52/53/54 MM ,BIPOLAR HIP PROSTHESIS (LONG STEM) (FENESTED) (NON-CEMENTED) - 37/38/39/40/41/42/43/44/45/46/47/48/49/50/51/52/53/54 MM ,BIPOLAR HIP PROSTHESIS (LONG STEM) (NON-FENESTED) (NON-CEMENTED) - 37/38/39/40/41/42/43/44/45/46/47/48/49/50/51/52/53/54 MM ,MODULAR BIPOLAR HIP PROSTHESIS (37MM TO 54MM) (NON-CEMENTED) - SMALL/MRDIUM/LARGE ,BIPOLAR HIP PROSTHESIS (SMALL STEM) (FENESTED) (CEMENTED) - 37/38/39/40/41/42/43/44/45/46/47/48/49/50/51/52/53/54 MM , BIPOLAR HIP PROSTHESIS (SMALL STEM) (NON-FENESTED) (CEMENTED) - 37/38/39/40/41/42/43/44/45/46/47/48/49/50/51/52/53/54 MM ,BIPOLAR HIP PROSTHESIS (LONG STEM) (FENESTED) (CEMENTED) - 37/38/39/40/41/42/43/44/45/46/47/48/49/50/51/52/53/54 MM ,BIPOLAR HIP PROSTHESIS (LONG STEM) (NON-FENESTED) (CEMENTED) - 37/38/39/40/41/42/43/44/45/46/47/48/49/50/51/52/53/54 MM ,MODULAR BIPOLAR HIP PROSTHESIS (37MM TO 56MM) (CEMENTED) - SMALL/MEDIUM/LARGE , TOTAL HIP REPLACEMENT PROSTHESIS (SMALL STEM) (FENESTED) (CEMENTED) - 37/38/39/40/41/42/43/44/45/46/47/48/49/50/51/52/53/54 MM ,TOTAL HIP REPLACEMENT PROSTHESIS (SMALL STEM) (NON-FENESTED) (CEMENTED) - 37/38/39/40/41/42/43/44/45/46/47/48/49/50/51/52/53/54 MM ,TOTAL HIP REPLACEMENT PROSTHESIS (LONG STEM) (FENESTED) (CEMENTED) - 37/38/39/40/41/42/43/44/45/46/47/48/49/50/51/52/53/54 MM ,TOTAL HIP REPLACEMENT PROSTHESIS (LONG STEM) (NON-FENESTED) (CEMENTED) - 37/38/39/40/41/42/43/44/45/46/47/48/49/50/51/52/53/54 MM ,ACETABULAR CUP - 44/46/48/50/52/54/56/58/60/62/64 MM ,CEMENTED STEM (POLISHED) - CS-1/2/3/4/5/6/7/8 ,CEMENT RECTRACTOR - - ,CENTELIZER - - ,INNER HEAD (POLISHED) 28MM (12/14 TAPPER) - -3.50/0.00/3.50/7.00 ,CEMENTED ACETABULAR CUP - 44/46/48/50/52/54/56/58/60/62/64 MM ,UNCEMENTED ACETABULAR CUP WITH LINER UHMWPE (POROUS) 10 degree & 180 degree - 44/46/48/50/52/54/56/58/60/62/64 MM ,UNCEMENTED ACETABULAR CUP WITH LINER UHMWPE (H. A) 10 degree & 180 degree - 44/46/48/50/52/54/56/58/60/62/64 MM
----	---

